

Stud Spacing

1-04-00


BE

103

Weight

165.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	11-02-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	11-02-08	0-00				
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	6-09-08	0-00				
E	Header	2x4 SPF No.2	(1)	3-00-00	0-00				
F	Header Sill	2x4 SPF No.2	(1)	2-09-00	0-00				
G	Header Cripple	2x4 SPF No.2	(3)	1-09-10	0-00				
H	Stud	2x4 SPF No.2	(7)	8-08-10	0-00				
I	Flat Stud	2x6 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

89

Weight

141.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	8-00-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	8-00-00	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Header	2x4 SPF No.2	(1)	5-04-00	0-00				
F	Header Sill	2x4 SPF No.2	(1)	5-01-00	0-00				
G	Header Cripple	2x4 SPF No.2	(4)	7-10	0-00				
H	Stud	2x4 SPF No.2	(3)	8-08-10	0-00				
I	Flat Stud	2x6 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

129

Weight

209.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	12-00-00	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(4)	6-09-08	0-00				
E	Header	2x4 SPF No.2	(2)	3-00-00	0-00				
F	Header Sill	2x4 SPF No.2	(2)	2-09-00	0-00				
G	Header Cripple	2x4 SPF No.2	(5)	1-09-10	0-00				
H	Stud	2x4 SPF No.2	(5)	8-08-10	0-00				
I	Flat Stud	2x6 SPF No.2	(2)	8-08-10	0-00				

Technical drawing of a window frame showing dimensions and components.

Dimensions:

- Overall width: 7-00-08
- Overall height: 8-11-10
- Inner width: 5-01-00
- Inner height: 7-11-08
- Left side panel width: 11-00
- Right side panel width: 6-09-00

Components and Labels:

- A:** Bottom frame rail
- B:** Top frame rail
- C:** Left side panel
- D:** Right side panel
- E:** Top inner frame rail
- F:** Bottom inner frame rail
- G:** Top inner frame rail (left side)
- H:** Left inner frame rail

Material and Assembly:

- D04:** Main frame material (green cross-hatched pattern)
- B19:** End cap material (yellow solid color)
- O/A FRAMING:** Overall framing assembly

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	7-00-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	7-00-08	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Header	2x4 SPF No.2	(1)	5-04-00	0-00				
F	Header Sill	2x4 SPF No.2	(1)	5-01-00	0-00				
G	Header Cripple	2x4 SPF No.2	(4)	7-10	0-00				
H	Stud	2x4 SPF No.2	(2)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

53

Weight

83.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	4-05-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	4-05-08	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Header	2x4 SPF No.2	(1)	3-11-08	0-00				
F	Header Sill	2x4 SPF No.2	(1)	3-08-08	0-00				
G	Header Cripple	2x4 SPF No.2	(5)	7-10	0-00				

Stud Spacing

1-04-00


BF

57

Weight

88.00 lb


Production Notes:



Cutting List


Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	4-05-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	4-05-08	0-00				
C	Stud	2x4 SPF No.2	(6)	8-08-10	0-00				
D	Flat Stud	2x6 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	50	78.00 lb	



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	6-07-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-07-00	0-00				
C	Stud	2x4 SPF No.2	(6)	8-08-10	0-00				


Stud Spacing	BF	Weight	Production Notes:
1-04-00	86	134.00 lb	



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	12-00-04	0-00				
B	Top Plate	2x4 SPF No.2	(1)	12-00-04	0-00				
C	Stud	2x4 SPF No.2	(10)	8-08-10	0-00				

Stud Spacing	BF	Weight
1-04-00	32	50.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	3-05-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	3-05-08	0-00				
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

141

Weight

226.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	11-09-12	0-00				
B	Top Plate	2x4 SPF No.2	(1)	11-09-12	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(4)	6-09-08	0-00				
E	Header	2x4 SPF No.2	(2)	3-00-00	0-00				
F	Header Sill	2x4 SPF No.2	(2)	2-09-00	0-00				
G	Header Cripple	2x4 SPF No.2	(4)	1-09-10	0-00				
H	Stud	2x4 SPF No.2	(7)	8-08-10	0-00				
I	Flat Stud	2x6 SPF No.2	(2)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

78

Weight

121.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	6-07-12	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-07-12	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Header	2x4 SPF No.2	(1)	5-04-00	0-00				
F	Header Sill	2x4 SPF No.2	(1)	5-01-00	0-00				
G	Header Cripple	2x4 SPF No.2	(4)	7-10	0-00				
H	Stud	2x4 SPF No.2	(2)	8-08-10	0-00				
I	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

73

Weight

114.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	6-03-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-03-08	0-00				
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	6-09-08	0-00				
E	Header	2x4 SPF No.2	(1)	3-00-00	0-00				
F	Header Sill	2x4 SPF No.2	(1)	2-09-00	0-00				
G	Header Cripple	2x4 SPF No.2	(2)	1-09-10	0-00				
H	Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
I	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing

1-04-00


BE

143


Weight

223.00 lb

Production Notes:



O/A FRAMING



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	12-02-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	12-02-00	0-00				
C	King Stud	2x4 SPF No.2	(6)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Jack Stud	2x4 SPF No.2	(2)	6-09-08	0-00				
F	Header	2x4 SPF No.2	(1)	5-04-00	0-00				
G	Header	2x4 SPF No.2	(1)	3-00-00	0-00				
H	Header Sill	2x4 SPF No.2	(1)	5-01-00	0-00				
I	Header Sill	2x4 SPF No.2	(1)	2-09-00	0-00				
J	Header Cripple	2x4 SPF No.2	(4)	7-10	0-00				
K	Header Cripple	2x4 SPF No.2	(2)	1-09-10	0-00				
L	Stud	2x4 SPF No.2	(5)	8-08-10	0-00				
M	Flat Stud	2x4 SPF No.2	(2)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

57

Weight

88.00 lb


Production Notes:



Cutting List


Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	4-05-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	4-05-08	0-00				
C	Stud	2x4 SPF No.2	(6)	8-08-10	0-00				
D	Flat Stud	2x6 SPF No.2	(1)	8-08-10	0-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	51	81.00 lb	




Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	4-05-08	0-00				
B	Top Plate	2x4 SPF No.2	(1)	4-05-08	0-00				
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x4 SPF No.2	(2)	7-11-08	0-00				
E	Header	2x4 SPF No.2	(1)	3-11-08	0-00				
F	Header Sill	2x4 SPF No.2	(1)	3-08-08	0-00				
G	Header Cripple	2x4 SPF No.2	(3)	7-10	0-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	48	76.00 lb	



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	5-10-04	0-00				
B	Top Plate	2x4 SPF No.2	(1)	5-10-04	0-00				
C	Stud	2x4 SPF No.2	(6)	8-08-10	0-00				



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	12-00-04	0-00				
B	Top Plate	2x4 SPF No.2	(1)	12-00-04	0-00				
C	Stud	2x4 SPF No.2	(10)	8-08-10	0-00				

Stud Spacing

1-04-00


BF

32

Weight

49.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	3-04-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	3-04-00	0-00				
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00				

Stud Spacing

1-04-00


BE

129

Weight

198.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-04	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-04	0-00				
C	Stud	2x6 SPF No.2	(10)	8-08-10	0-00				

Stud Spacing

1-04-00

BF


99

Weight

145.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-

R

5-08

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	5-06-08	0-00				
B	Top Plate	2x6 SYP No.2	(1)	5-06-08	0-00				
C	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
D	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	2-00-00				

Stud Spacing

1-04-00

BE


286

Weight

486.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(4)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	4-10-10	0-00				
F	Window Sill	2x6 SYP No.2	(1)	4-04-10	0-00				
G	Sill Cripple	2x6 SYP No.2	(5)	1-08-06	0-00				
H	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
I	Critical Stud	2x6 SYP No.2	(3)	8-08-10	0-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
L	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BE


291

Weight

501.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.

**Sheathing**Standard Material

15/32" 4x10 OSB

Hold/ExtendI

1-08

B

-

L

-


R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	6-06-02	0-00				
F	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
G	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
H	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Filler Cripple	2x6 SYP No.2	(6)	10-14	0-00				
L	Filler Bottom Nailer	2x6 SYP No.2	(1)	5-09-02	0-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	122	175.00 lb	INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing
Standard Material
15/32" 4x10 OSB

Hold/Extend			
I	B	L	R
1-08	-	-	-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	8-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	8-00-00	0-00				
C	Stud	2x6 SYP No.2	(7)	8-08-10	0-00				
D	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BF


272

Weight

462.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.

**Sheathing**Standard Material

15/32" 4x10 OSB

Hold/ExtendI

1-08

B

-

L

-

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	6-06-02	0-00				
F	Stud	2x6 SYP No.2	(5)	8-08-10	0-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
H	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Filler Cripple	2x6 SYP No.2	(7)	10-14	0-00				
K	Filler Bottom Nailer	2x6 SYP No.2	(1)	5-09-02	0-00				

Stud Spacing

1-04-00

BF


256

Weight

458.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I
1-08

B
-

L
-

R
-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	8-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	8-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(4)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	3-06-08	0-00				
F	Window Sill	2x6 SYP No.2	(1)	3-00-08	0-00				
G	Sill Cripple	2x6 SYP No.2	(4)	5-05-06	0-00				
H	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
I	Flat Stud	2x6 SYP No.2	(2)	8-08-10	0-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BE


278

Weight

463.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.

**Sheathing**Standard Material

15/32" 4x10 OSB

Hold/ExtendI

1-08

B

-

L

5-08

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	11-06-08	0-00				
B	Top Plate	2x6 SYP No.2	(1)	11-06-08	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	5-01-10	0-00				
F	Window Sill	2x6 SYP No.2	(1)	4-04-10	0-00				
G	Sill Cripple	2x6 SYP No.2	(5)	1-08-06	0-00				
H	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BE


119

Weight

187.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-


R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	6-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	6-00-00	0-00				
C	Stud	2x6 SYP No.2	(8)	8-08-10	0-00				
D	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	2-00-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	229	354.00 lb	INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing	Hold/Extend
<u>Standard Material</u>	<u>I</u> <u>B</u> <u>L</u> <u>R</u>
15/32" 4x10 OSB	1-08 - - -

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SYP No.2	(12)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(3)	8-08-10	0-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
F	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BF


189

Weight

273.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SYP No.2	(10)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
F	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Production Notes:
INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



Hold/Extend

<u>Standard Material</u>	<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>
15/32" 4x10 OSB	1-08	-	-	5-08

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	10-00-12	0-00				
B	Top Plate	2x6 SYP No.2	(1)	10-00-12	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	5-01-10	0-00				
F	Window Sill	2x6 SYP No.2	(1)	4-04-10	0-00				
G	Sill Cripple	2x6 SYP No.2	(5)	1-08-06	0-00				
H	Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	2-06-04				

B11

Stud Spacing

1-04-00

BF


329

Weight

569.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.

**Sheathing**Standard Material

15/32" 4x10 OSB

Hold/ExtendI

1-08

B

-

L

-

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(4)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	3-06-08	0-00				
F	Window Sill	2x6 SYP No.2	(1)	3-00-08	0-00				
G	Sill Cripple	2x6 SYP No.2	(5)	5-05-06	0-00				
H	Stud	2x6 SYP No.2	(10)	8-08-10	0-00				
I	Flat Stud	2x6 SYP No.2	(2)	8-08-10	0-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
L	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BF


208

Weight

360.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-


R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	8-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	8-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(4)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	3-06-04	0-00				
F	Window Sill	2x6 SYP No.2	(1)	3-00-04	0-00				
G	Sill Cripple	2x6 SYP No.2	(4)	3-08-14	0-00				
H	Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	122	175.00 lb	INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing
Standard Material
15/32" 4x10 OSB

Hold/Extend			
I	B	L	R
1-08	-	-	-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	8-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	8-00-00	0-00				
C	Stud	2x6 SYP No.2	(7)	8-08-10	0-00				
D	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BF


271

Weight

460.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



D05



X3

SheathingStandard Material

15/32" 4x10 OSB

Hold/ExtendI
1-08B
-L
-R
-**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	6-06-02	0-00				
F	Stud	2x6 SYP No.2	(5)	8-08-10	0-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
H	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Filler Cripple	2x6 SYP No.2	(6)	10-14	0-00				
K	Filler Bottom Nail	2x6 SYP No.2	(1)	5-09-02	0-00				

B15

Stud Spacing

1-04-00

BF


234

Weight

415.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I
1-08

B
-

L
-

R
-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	7-05-12	0-00				
B	Top Plate	2x6 SYP No.2	(1)	7-05-12	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(4)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	3-06-08	0-00				
F	Window Sill	2x6 SYP No.2	(1)	3-00-08	0-00				
G	Sill Cripple	2x6 SYP No.2	(4)	5-05-06	0-00				
H	Stud	2x6 SYP No.2	(5)	8-08-10	0-00				
I	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	3-05-12				

Stud Spacing

1-04-00

BE


278

Weight


463.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD & EVERY KING STUD @ TOP & BOTTOM PLATE.
BOTTOM OF JACK STUDS @ ALL OPENINGS.



W03



B18

SheathingStandard Material

15/32" 4x10 OSB

Hold/ExtendI

1-08

B

-

L

5-08

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	11-06-08	0-00				
B	Top Plate	2x6 SYP No.2	(1)	11-06-08	0-00				
C	King Stud	2x6 SYP No.2	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SYP No.2	(6)	7-09-06	0-00				
E	Header	2x12 SYP No.2	(3)	5-01-10	0-00				
F	Window Sill	2x6 SYP No.2	(1)	4-04-10	0-00				
G	Sill Cripple	2x6 SYP No.2	(5)	1-08-06	0-00				
H	Stud	2x6 SYP No.2	(6)	8-08-10	0-00				
I	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
J	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
K	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

B17

Stud Spacing

1-04-00

BE


119

Weight

187.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-


R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	6-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	6-00-00	0-00				
C	Stud	2x6 SYP No.2	(8)	8-08-10	0-00				
D	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	2-00-00				

Stud Spacing	BF	Weight	Production Notes:
1-04-00	229	354.00 lb	INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing	Hold/Extend
<u>Standard Material</u>	<u>I</u> <u>B</u> <u>L</u> <u>R</u>
15/32" 4x10 OSB	1-08 - - -

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SYP No.2	(12)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(3)	8-08-10	0-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
F	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00

BF


189

Weight

273.00 lb

Production Notes:

INSTALL SPH6 EVERY OTHER STUD @ TOP & BOTTOM PLATE



Sheathing

Standard Material

15/32" 4x10 OSB

Hold/Extend

I

1-08

B

-

L

-

R

-

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-00-00	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SYP No.2	(10)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
E	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
F	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				
G	Sheathing	15/32" 4x10 OSB	(1)	9-01-02	4-00-00				

Stud Spacing

1-04-00


BE

105

Weight

208.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 4 Borate Treated	(1)	12-03-12	0-00				
B	Top Plate	2x4 SYP No.1	(1)	12-03-12	0-00				
C	Stud	2x4 SYP No.1	(10)	8-08-10	0-00				
D	Critical Stud	2x4 SYP No.1	(3)	8-08-10	0-00				

Stud Spacing

1-04-00


BE

167

Weight

335.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-03-12	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-03-12	0-00				
C	Stud	2x6 SYP No.2	(10)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
E	Critical Stud	2x6 SYP No.2	(3)	8-08-10	0-00				

Stud Spacing

1-04-00


BE

167

Weight

335.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-03-12	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-03-12	0-00				
C	Stud	2x6 SYP No.2	(10)	8-08-10	0-00				
D	Flat Stud	2x6 SYP No.2	(1)	8-08-10	0-00				
E	Critical Stud	2x6 SYP No.2	(3)	8-08-10	0-00				

Stud Spacing

1-04-00



BE

147

Weight

294.00 lb

Production Notes:



Cutting List									
Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2 X 6 Borate Treated	(1)	12-03-12	0-00				
B	Top Plate	2x6 SYP No.2	(1)	12-03-12	0-00				
C	Stud	2x6 SYP No.2	(9)	8-08-10	0-00				
D	Critical Stud	2x6 SYP No.2	(3)	8-08-10	0-00				