

Panel #32**Start Of Panel: 0"**

Studs: 2X6 x 7' 8-5/8" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X6 x 10' 8-1/8" (#2 SPF & BTR)

Bottom: (1) 2X6 x 10' 8-1/8" (TREATED)

*** Panel Diagonal 13' 3-7/8" ***

Insert



Start

End

SSS

10' 3-5/8"

@ End



Panel #33**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [12] 1' 4" o.c.

Top Plates: (1) 2X4 x 14' 1" (#2 SPF & BTR)

Bottom: (1) 2X4 x 14' 1" (TREATED)

*** Panel Diagonal 16' 2-3/16" ***

Insert



Start

End

S

8' 6-1/2"

8' 8"



Panel #30

Start Of Panel: 0"

Studs: 2X6 x 7' 8-5/8" (#2 SPF & BTR) [5] 1' 4" o.c.



Top Plates: (1) 2X6 x 8' 5" (#2 SPF & BTR)

Bottom: (1) 2X4 x 8' 5" (TREATED)

*** Panel Diagonal 11' 7-1/16" ***

Insert	Start	End

* L CRNR(2X4) Down	@ Start	5"
L CRNR(2X4) Down *	8' 0"	@ End



Panel #28

Start Of Panel: 0"



Studs: 2X6 x 7' 8-5/8" (#2 SPF & BTR) [5] 1' 4" o.c.

Top Plates: (1) 2X6 x 8' 5" (#2 SPF & BTR)
Bottom: (1) 2X6 x 8' 5" (TREATED)

*** Panel Diagonal 11' 7-1/16" ***

Insert	Start	End

* L CRNR(2X4) Down	@ Start	5"
L premium(2X6) Up *	1' 7-3/8"	2' 2-3/8"
S	2' 2-3/8"	2' 3-7/8"
L CRNR(2X4) Down *	8' 0"	@ End



Panel #29**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 1" (#2 SPF & BTR)

Bottom: (1) 2X4 x 8' 1" (TREATED)

*** Panel Diagonal 11' 4-3/16" ***

Insert



Start

End

3068/NB

2' 5-1/2"

5' 7-1/2"




Panel #31**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 1" (#2 SPF & BTR)

Bottom: (1) 2X4 x 8' 1" (TREATED)

*** Panel Diagonal 11' 4-3/16" ***




Panel #44**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [3] 1' 4" o.c.

Top Plates: (1) 2X4 x 2' 6-1/8" (#2 SPF & BTR)

Bottom: (1) 2X4 x 2' 6-1/8" (TREATED)

*** Panel Diagonal 8' 4-1/4" ***



Panel #38**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [1] 1' 4" o.c.

Top Plates: (1) 2X4 x 5' 4-1/2" (#2 SPF & BTR)


Bottom: (1) 2X4 x 5' 4-1/2" (TREATED)

*** Panel Diagonal 9' 7-5/16" ***


Insert

Start

End

* L CRNR(2X4) Down
3068/NB@ Start
1' 3"5"
4' 5"

L CRNR



Panel #37**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: (1) 2X4 x 2' 6" (#2 SPF & BTR)

Bottom: (1) 2X4 x 2' 6" (TREATED)

*** Panel Diagonal 8' 4-3/16" ***

Insert



Start

End

* L CRNR(2X4) Up

@ Start

5"



Panel #36**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.



Top Plates: (1) 2X4 x 3' 5" (#2 SPF & BTR)

Bottom: (1) 2X4 x 3' 5" (TREATED)

*** Panel Diagonal 8' 8-1/16" ***

Insert	Start	End

* L CRNR(2X4) Up	@ Start	5"
* L premium(2X6) Down	11-1/4"	1' 6-1/4"



Panel #35**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: (1) 2X4 x 2' 6" (#2 SPF & BTR)

Bottom: (1) 2X4 x 2' 6" (TREATED)

*** Panel Diagonal 8' 4-3/16" ***

Insert


Start

End


* L CRNR(2X4) Down

@ Start

5"



L CRNR



Panel #34**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: (1) 2X4 x 5' 10-7/8" (#2 SPF & BTR)

Bottom: (1) 2X4 x 5' 10-7/8" (TREATED)

*** Panel Diagonal 9' 11" ***

Insert



Start

End

2668-NL

4-5/8"

5' 6-1/8"



Panel #39**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: (1) 2X4 x 5' 1" (#2 SPF & BTR)

Bottom: (1) 2X4 x 5' 1" (TREATED)

*** Panel Diagonal 9' 5-7/16" ***

Insert


Start

End


* L premium(2X6) Down

4' 0-1/4"

4' 7-1/4"



L premium




Panel #43**Start Of Panel: 0"**

Studs: 2X6 x 7' 8-5/8" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X6 x 6' 11-7/8" (#2 SPF & BTR)

Bottom: (1) 2X6 x 6' 11-7/8" (TREATED)

*** Panel Diagonal 10' 7-3/16" ***



Panel #40**Start Of Panel: 0"**

Studs: 2X6 x 7' 8-5/8" (#2 SPF & BTR) [1] 1' 4" o.c.

Top Plates: (1) 2X6 x 2' 7-1/2" (#2 SPF & BTR)



Bottom: (1) 2X6 x 2' 7-1/2" (TREATED)

*** Panel Diagonal 8' 4-11/16" ***

Insert

Start

End

* L CRNR(2X4) Up
SSS@ Start
2' 3"5"
@ End

Panel #41**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 1" (#2 SPF & BTR)

Bottom: (1) 2X4 x 8' 1" (TREATED)

*** Panel Diagonal 11' 4-3/16" ***

Insert



Start

End

3068/NB

2' 11"

6' 1"



Panel #42**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X4 x 9' 7-3/8" (#2 SPF & BTR)

Bottom: (1) 2X4 x 9' 7-3/8" (TREATED)

*** Panel Diagonal 12' 5-7/8" ***

Insert


Start

End


* L CRNR(2X4) Down

@ Start

5"



L CRNR



Panel #21**Start Of Panel: 0"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 11' 11-1/2" (#2 SPF & BTR)

Bottom: (1) 2X4 x 11' 11-1/2" (TREATED)

*** Panel Diagonal 17' 1-7/16" ***

Insert



Start

End

L CRNR(2X4) Down *

11' 6-1/2"

@ End



Panel #20**Start Of Panel: 0"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [6] 1' 4" o.c.

Top Plates: (1) 2X4 x 12' 0" (#2 SPF & BTR)

Bottom: (1) 2X4 x 12' 0" (TREATED)

*** Panel Diagonal 17' 1-3/4" ***

Insert

Start

End

48x36-LB



1' 6-1/2"

5' 6-1/2"

BP(3)J(7' 11-5/8")

9' 9-3/8"

10' 3-3/8"



Panel #19**Start Of Panel: 0"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: (1) 2X4 x 9' 4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 9' 4" (TREATED)

*** Panel Diagonal 15' 4-13/16" ***

Insert



Start

End

48x36-LB

2' 9-1/2"

6' 9-1/2"



Panel #18**Start Of Panel: 8"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [9] 1' 4" o.c.



Top Plates: (1) 2X4 x 11' 4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 11' 4" (TREATED)

*** Panel Diagonal 16' 8-1/4" ***

Insert	Start	End

* L premium(2X6) Down	3' 10-5/8"	4' 5-5/8"
BP(3)J(7' 11-5/8")	10' 10-3/4"	11' 4-3/4"



Panel #17**Start Of Panel: 9-1/2"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [3] 1' 4" o.c.



Top Plates: (1) 2X4 x 11' 10-1/2" (#2 SPF & BTR)

Bottom: (1) 2X4 x 11' 10-1/2" (TREATED)

*** Panel Diagonal 17' 0-3/4" ***

Insert**Start****End**

* L CRNR(2X4) Down	@ Start	1' 2-1/2"
entry-LB	1' 8-3/4"	5' 11-1/4"
* L premium(2X6) Down	6' 5-1/8"	7' 0-1/8"
*24x48-LB	10' 5"	12' 5"



Panel #27**Start Of Panel: 0"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [5] 1' 4" o.c.

Top Plates: (1) 2X4 x 9' 10-1/2" (#2 SPF & BTR)

Bottom: (1) 2X4 x 9' 10-1/2" (TREATED)

*** Panel Diagonal 15' 8-13/16" ***

Insert

Start

End

48x48-LB



L CRNR(2X4) Down *

7-3/4"

9' 5-1/2"

4' 7-3/4"

@ End



Panel #26**Start Of Panel: 1' 3-1/4"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [6] 1' 4" o.c.

Top Plates: (1) 2X4 x 6' 8-3/4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 6' 8-3/4" (TREATED)

*** Panel Diagonal 13' 11-11/16" ***

Insert



Start

End

* L premium(2X6) Down

3' 2-3/8"

3' 9-3/8"



Panel #25**Start Of Panel: 1/2"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [6] 1' 4" o.c.

Top Plates: (1) 2X4 x 7' 3-3/4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 7' 3-3/4" (TREATED)

*** Panel Diagonal 14' 3-3/16" ***

Insert


Start

End


* L CRNR(2X4) Down

@ Start

5-1/2"



L CRNR



Panel #47**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 12' 11" (#2 SPF & BTR)

Bottom: (1) 2X4 x 12' 11" (TREATED)

*** Panel Diagonal 15' 2-1/8" ***

Insert



Start

End

*24x48-LB

9' 11"

11' 11"



Panel #46**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X4 x 12' 0" (#2 SPF & BTR)

Bottom: (1) 2X4 x 12' 0" (TREATED)

*** Panel Diagonal 14' 4-7/8" ***

Insert



Start

End

*24x48-LB

5' 2"

7' 2"



Panel #45**Start Of Panel: 4"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X4 x 13' 0" (#2 SPF & BTR)

Bottom: (1) 2X4 x 13' 0" (TREATED)

*** Panel Diagonal 15' 3" ***

Insert



Start

End

*48x60-LB

6' 0"

10' 0"



Panel #24**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [11] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 15' 0-5/16"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 14' 11-7/16"


Bottom: (1) 2X4 x 12' 11" (TREATED)

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 10' 4-3/16"	10' 3-5/16"	-7.00	-30.3	0"	0"
(1)	* 9' 7-5/16"	9' 6-7/16"	-7.00	-30.3	1' 5-5/8"	1' 3-1/4"
(1)	* 8' 9-15/16"	8' 9-1/16"	-7.00	-30.3	3' 0-3/16"	2' 7-1/4"
(1)	* 8' 0-5/8"	7' 11-3/4"	-7.00	-30.3	4' 6-11/16"	3' 11-1/4"
(1)	* 7' 3-5/16"	7' 2-7/16"	-7.00	-30.3	6' 1-1/4"	5' 3-1/4"
(1)	* 6' 5-15/16"	6' 5-1/16"	-7.00	-30.3	7' 7-3/4"	6' 7-1/4"
(1)	* 5' 8-5/8"	5' 7-3/4"	-7.00	-30.3	9' 2-1/4"	7' 11-1/4"
(1)	* 4' 11-5/16"	4' 10-7/16"	-7.00	-30.3	10' 8-13/16"	9' 3-1/4"
(1)	* 4' 1-15/16"	4' 1-1/16"	-7.00	-30.3	12' 3-5/16"	10' 7-1/4"
(1)	* 3' 4-5/8"	3' 3-3/4"	-7.00	-30.3	13' 9-13/16"	11' 11-1/4"
(1)	* 2' 10-5/8"	2' 9-3/4"	-7.00	-30.3	14' 9-11/16"	12' 9-1/2"

Panel #24 Continued Next Page

Panel #24 (Continued)



Panel #23**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 6' 11-5/8"

Start Rake Cut: 30.3 Deg /

End Rake Cut: 30.3 Deg /

TS: 6' 10-3/4"

(1) 7' 0-13/16"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 6' 11-15/16"

Bottom: (1) 2X4 x 12' 0" (TREATED)



Insert	Start	End
-----	-----	-----
*64x72-NL	4' 3-1/2"	10' 7-1/2"

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
-----	-----	-----	-----	-----	-----	-----
(1)	10' 4-3/4"	* 10' 5-5/8"	7.00	30.3	0"	0"
(1)	11' 1-11/16"	* 11' 2-9/16"	7.00	30.3	1' 5-5/8"	1' 3-1/4"
(1)	11' 11"	* 11' 11-7/8"	7.00	30.3	3' 0-3/16"	2' 7-1/4"
(1)	* 10' 5-1/16"	10' 4-3/16"	-7.00	-30.3	6' 10-3/16"	11' 10-1/2"

Panel #23 Continued Next Page

Panel #23 (Continued)



Panel #22**Start Of Panel: 4"**

Studs: 2X4 Sloped (#2 SPF & BTR) [11] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 15' 1-1/2"

Start Rake Cut: 30.4 Deg /

End Rake Cut: 30.3 Deg /

TS: 15' 0-5/8"


Bottom: (1) 2X4 x 13' 0" (TREATED)

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	2' 9-3/4"	* 2' 10-5/8"	7.00	30.3	0"	0"
(1)	3' 4-5/16"	* 3' 5-3/16"	7.00	30.3	1' 1"	11-1/4"
(1)	4' 1-11/16"	* 4' 2-9/16"	7.00	30.3	2' 7-9/16"	2' 3-1/4"
(1)	4' 11"	* 4' 11-7/8"	7.00	30.3	4' 2-1/16"	3' 7-1/4"
(1)	5' 8-5/16"	* 5' 9-3/16"	7.00	30.3	5' 8-9/16"	4' 11-1/4"
(1)	6' 5-11/16"	* 6' 6-9/16"	7.00	30.3	7' 3-1/8"	6' 3-1/4"
(1)	7' 3"	* 7' 3-7/8"	7.00	30.3	8' 9-5/8"	7' 7-1/4"
(1)	8' 0-5/16"	* 8' 1-3/16"	7.00	30.3	10' 4-3/16"	8' 11-1/4"
(1)	8' 9-11/16"	* 8' 10-9/16"	7.00	30.3	11' 10-11/16"	10' 3-1/4"
(1)	9' 7"	* 9' 7-7/8"	7.00	30.3	13' 5-3/16"	11' 7-1/4"
(1)	10' 3-7/8"	* 10' 4-3/4"	7.00	30.3	14' 10-7/8"	12' 10-1/2"

Panel #22 Continued Next Page

Panel #22 (Continued)




Panel #50**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 10' 3" (#2 SPF & BTR)

Bottom: (1) 2X4 x 10' 3" (TREATED)

*** Panel Diagonal 12' 11-13/16" ***



Panel #49



Start Of Panel: 0"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: (1) 2X4 x 17' 4" (#2 SPF & BTR)
Bottom: (1) 2X4 x 17' 4" (TREATED)

*** Panel Diagonal 19' 0-15/16" ***

Insert	Start	End
-----	-----	-----
Garage-LB	6"	16' 9"




Panel #48**Start Of Panel: 4"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 10' 4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 10' 4" (TREATED)

*** Panel Diagonal 13' 0-9/16" ***



Panel #58**Start Of Panel: 1' 8"**

Studs: 2X4 Sloped (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 12' 0-3/8"

Start Rake Cut: 30.3 Deg /

End Rake Cut: 30.3 Deg /

TS: 11' 11-1/2"


Bottom: (1) 2X4 x 10' 3-15/16" (#2 SPF & BTR)

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	2' 9-3/4"	* 2' 10-5/8"	7.00	30.3	0"	0"
(1)	3' 4-5/16"	* 3' 5-3/16"	7.00	30.3	1' 1"	11-1/4"
(1)	4' 1-11/16"	* 4' 2-9/16"	7.00	30.3	2' 7-9/16"	2' 3-1/4"
(1)	4' 11"	* 4' 11-7/8"	7.00	30.3	4' 2-1/16"	3' 7-1/4"
(1)	5' 8-5/16"	* 5' 9-3/16"	7.00	30.3	5' 8-9/16"	4' 11-1/4"
(1)	6' 5-11/16"	* 6' 6-9/16"	7.00	30.3	7' 3-1/8"	6' 3-1/4"
(1)	7' 3"	* 7' 3-7/8"	7.00	30.3	8' 9-5/8"	7' 7-1/4"
(1)	8' 0-5/16"	* 8' 1-3/16"	7.00	30.3	10' 4-3/16"	8' 11-1/4"
(1)	8' 9-3/16"	* 8' 10-1/16"	7.00	30.3	11' 9-3/4"	10' 2-7/16"

Panel #58 Continued Next Page

Panel #58 (Continued)





Panel #59
Start Of Panel: 0"
Studs: 2X4 Sloped (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)
(1) 10' 0-5/8"
Start Rake Cut: 30.3 Deg /
End Rake Cut: 30.3 Deg /
TS: 9' 11-3/4"

Bottom: (1) 2X4 x 8' 7-7/16" (#2 SPF & BTR)

Insert	Start	End
*64x70-NL	1' 6-1/2"	7' 10-1/2"

*** Sloped Stud Lengths ***						
Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	8' 10-1/8"	* 8' 11"	7.00	30.3	0"	0"
(1)	13' 9-5/8"	* 13' 10-1/2"	7.00	30.3	9' 10-1/16"	8' 6"





Panel #60
Start Of Panel: 7'-1/2"
Studs: 2X4 Sloped (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)
(1) 10' 1-13/16"
Start Rake Cut: 120.3 Deg \
End Rake Cut: 120.4 Deg \
TS: 10' 0-7/8"

Bottom: (1) 2X4 x 8' 8-7/16" (#2 SPF & BTR)

Insert	Start	End
*64x70-NL	1' 4-1/2"	7' 8-1/2"

*** Sloped Stud Lengths ***						
Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 13' 10-1/2"	13' 9-5/8"	-7.00	-30.3	0"	0"
(1)	* 8' 10-7/16"	8' 9-9/16"	-7.00	-30.3	9' 11-3/16"	8' 6-15/16"



Panel #61**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 11' 11-3/16"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 11' 10-5/16"


Bottom: (1) 2X4 x 10' 2-15/16" (#2 SPF & BTR)

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 8' 9-1/2"	8' 8-5/8"	-7.00	-30.3	0"	0"
(1)	* 8' 0-5/8"	7' 11-3/4"	-7.00	-30.3	1' 5-5/8"	1' 3-1/4"
(1)	* 7' 3-5/16"	7' 2-7/16"	-7.00	-30.3	3' 0-3/16"	2' 7-1/4"
(1)	* 6' 5-15/16"	6' 5-1/16"	-7.00	-30.3	4' 6-11/16"	3' 11-1/4"
(1)	* 5' 8-5/8"	5' 7-3/4"	-7.00	-30.3	6' 1-1/4"	5' 3-1/4"
(1)	* 4' 11-5/16"	4' 10-7/16"	-7.00	-30.3	7' 7-3/4"	6' 7-1/4"
(1)	* 4' 1-15/16"	4' 1-1/16"	-7.00	-30.3	9' 2-1/4"	7' 11-1/4"
(1)	* 3' 4-5/8"	3' 3-3/4"	-7.00	-30.3	10' 8-13/16"	9' 3-1/4"
(1)	* 2' 10-11/16"	2' 9-13/16"	-7.00	-30.3	11' 8-9/16"	10' 1-7/16"

Panel #61 Continued Next Page

Panel #61 (Continued)



Panel #7**Start Of Panel: 0"**

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X4 x 9' 0-1/2" (#2 SPF & BTR)

Bottom: (1) 2X4 x 9' 0-1/2" (TREATED)

*** Panel Diagonal 15' 2-11/16" ***

*** Sheathing ***

Bottom Plate Lap: Flush

Start Type



End

4' 0" x 8' 0" / 4' 3" 7/16" OSB

4' 0" x 8' 0" / 4' 3" 7/16" OSB

1' 4-7/16" x 8' 0" / 4' 3" 7/16" OSB

Extend 3-15/16"



Panel #6

Start Of Panel: 0"


Studs: 2X4 x 12' 0" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 0" (#2 SPF & BTR)
Bottom: (1) 2X4 x 8' 0" (TREATED)

*** Panel Diagonal 14' 7-9/16" ***

*** Sheathing ***

Bottom Plate Lap: Flush			End
Start	Type		
4' 0" x 8' 0"	/ 4' 3"	7/16" OSB	
4' 0" x 8' 0"	/ 4' 3"	7/16" OSB	Flush



Panel #5

Start Of Panel: 0"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [4] 1' 4" o.c.



Top Plates: (1) 2X4 x 8' 0" (#2 SPF & BTR)
Bottom: (1) 2X4 x 8' 0" (TREATED)

*** Panel Diagonal 14' 7-9/16" ***

Insert	Start	End
48x36-LB	2' 2-1/2"	6' 2-1/2"

*** Sheathing ***

Bottom Plate Lap: Flush					End
Start	Type				
4' 0" x 8' 0"	/ 4' 3"	7/16"	OSB		
4' 0" x 8' 0"	/ 4' 3"	7/16"	OSB	Flush	



Panel #4

Start Of Panel: 0"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [4] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 0" (#2 SPF & BTR)



Bottom: (1) 2X4 x 8' 0" (TREATED)

*** Panel Diagonal 14' 7-9/16" ***

Insert	Start	End
48x36-LB	2' 1-1/2"	6' 1-1/2"

*** Sheathing ***

Bottom Plate Lap: Flush	Type	End
4' 0" x 8' 0" / 4' 3"	7/16" OSB	
4' 0" x 8' 0" / 4' 3"	7/16" OSB	Flush



Panel #3

Start Of Panel: 0"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 0" (#2 SPF & BTR)



Bottom: (1) 2X4 x 8' 0" (TREATED)

*** Panel Diagonal 14' 7-9/16" ***

*** Sheathing ***

Bottom Plate Lap: Flush

Start	Type	End
4' 0" x 8' 0" / 4' 3"	7/16" OSB	
4' 0" x 8' 0" / 4' 3"	7/16" OSB	Flush



Panel #2

Start Of Panel: 0"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [5] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 0" (#2 SPF & BTR)

Bottom: (1) 2X4 x 8' 0" (TREATED)



*** Panel Diagonal 14' 7-9/16" ***

Insert	Start	End
24x48-LB	1' 9"	3' 9"
S	3' 11-1/4"	4' 0-3/4"

*** Sheathing ***

Bottom Plate Lap: Flush

Start	Type	End
4' 0" x 8' 0"	/ 4' 3" 7/16" OSB	
4' 0" x 8' 0"	/ 4' 3" 7/16" OSB	Flush



Panel #1

Start Of Panel: 1' 0-1/2"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [3] 1' 4" o.c.

Top Plates: (1) 2X4 x 8' 3-1/2" (#2 SPF & BTR)
Bottom: (1) 2X4 x 8' 3-1/2" (TREATED)


The stud located at 3-1/2" is omitted.

*** Panel Diagonal 14' 9-1/2" ***

Insert	Start	End
entry-LB	2' 4-3/4"	6' 7-1/4"

*** Sheathing ***

Bottom Plate Lap: Flush		
Start	Type	End
Extend 3-15/16"	7-7/16" x 8' 0" / 4' 3"	7/16" OSB
	4' 0" x 8' 0" / 4' 3"	7/16" OSB
	4' 0" x 8' 0" / 4' 3"	7/16" OSB
		Flush



Panel #11

Start of Panel: 3-1/2"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X4 x 7' 8-3/4" (#2 SPF & BTR)

Bottom: (1) 2X4 x 7' 8-3/4" (TREATED)

*** Panel Diagonal 14' 5-13/16" ***

*** Sheathing ***

Bottom Plate Lap: Flush

Start	Type
-------	------

End



Extend 3-15/16"

2' 8-7/16" x 8' 0" / 4' 3" 7/16" OSB

4' 0" x 8' 0" / 4' 3" 7/16" OSB

1' 4-1/4" x 8' 0" / 4' 3" 7/16" OSB

Flush



Panel #12

Start Of Panel: 7'-1/4"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [6] 1' 4" o.c.

Top Plates: (1) 2X4 x 6' 0-3/4" (#2 SPF & BTR)
Bottom: (1) 2X4 x 6' 0-3/4" (TREATED)



*** Panel Diagonal 13' 8" ***

*** Sheathing ***

Bottom Plate Lap: Flush
Start Type

End

Flush	2' 0-3/4" x 8' 0" / 4' 3" 7/16" OSB	
	4' 0" x 8' 0" / 4' 3" 7/16" OSB	Flush



Panel #13

Start Of Panel: 0"

Studs: 2X4 x 12' 0" (#2 SPF & BTR) [5] 1' 4" o.c.

Top Plates: (1) 2X4 x 10' 11-1/2" (#2 SPF & BTR)
Bottom: (1) 2X4 x 10' 11-1/2" (TREATED)


The stud located at 10' 8" is omitted.

*** Panel Diagonal 16' 5-1/4" ***

Insert	Start	End
48x48-LB	1' 3-3/4"	5' 3-3/4"

*** Sheathing ***

Bottom Plate Lap: Flush	Type	End
4' 0" x 8' 0" / 4' 3"	7/16" OSB	
4' 0" x 8' 0" / 4' 3"	7/16" OSB	
3' 3-7/16" x 8' 0" / 4' 3"	7/16" OSB	Extend 3-15/16"



Panel #53**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [11] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 12' 8-9/16"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 12' 7-11/16"

(1) 11-15/16"

Bottom: (1) 2X4 x 11' 10-15/16" (#2 SPF & BTR)

Insert	Start	End
L CRNR(2X4) Down *	11' 5-15/16"	@ End

*** Sheathing ***

Bottom Plate Lap: Flush

Start	Type	End
-------	------	-----

7/16" OSB

A: * 8' 0"

B: N.A.

C: * 7' 1-7/16"

D: 10-9/16"

E: 2' 5-7/8"

F: 1' 6-1/8"

G: 4' 0"

H: N.A.

7/16" OSB

A: * 1' 5-7/16"

B: N.A.

C: N.A.

D: 1' 5-7/16"

E: 2' 5-7/8"

F: N.A.

G: N.A.

H: N.A.

7/16" OSB

A: * 7' 1-7/16"

B: N.A.

C: * 4' 9-7/16"

D: 2' 4"

E: 4' 0"

F: N.A.

G: 4' 0"

H: N.A.

7/16" OSB

A: * 4' 9-7/16"

B: N.A.

C: * 3' 1"

D: 1' 8-7/16"

E: 2' 11"

F: N.A.

G: 2' 11"

H: N.A.



11-15/16" x 3' 1-1/4"

7/16" OSB

Flush

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 9' 2-3/16"	9' 1-5/16"	-7.00	-30.3	0"	0"
(1)	* 8' 5-5/16"	8' 4-7/16"	-7.00	-30.3	1' 5-5/8"	1' 3-1/4"
(1)	* 7' 7-15/16"	7' 7-1/16"	-7.00	-30.3	3' 0-3/16"	2' 7-1/4"
(1)	* 6' 10-5/8"	6' 9-3/4"	-7.00	-30.3	4' 6-11/16"	3' 11-1/4"
(1)	* 6' 1-5/16"	6' 0-7/16"	-7.00	-30.3	6' 1-1/4"	5' 3-1/4"
(1)	* 5' 3-15/16"	5' 3-1/16"	-7.00	-30.3	7' 7-3/4"	6' 7-1/4"
(1)	* 4' 6-5/8"	4' 5-3/4"	-7.00	-30.3	9' 2-1/4"	7' 11-1/4"
(1)	* 3' 9-5/16"	3' 8-7/16"	-7.00	-30.3	10' 8-13/16"	9' 3-1/4"
(1)	* 2' 11-15/16"	2' 11-1/16"	-7.00	-30.3	12' 3-5/16"	10' 7-1/4"
(1)	* 2' 10-5/8"	2' 9-3/4"	-7.00	-30.3	12' 5-15/16"	10' 9-1/2"
(1)	* 2' 10-1/4"	* 2' 10-1/4"				



Panel #52**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [5] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 4' 7-7/8"

Start Rake Cut: 30.3 Deg /

End Rake Cut: 30.3 Deg /

TS: 4' 7"

(1) 9' 4-1/2"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 9' 3-5/8"

Bottom: (1) 2X4 x 11' 11-15/16" (#2 SPF & BTR)

Insert

Start

End

*64x72-LB

2' 3-1/2"

8' 7-1/2"

*** Sheathing ***

Bottom Plate Lap: Flush

Start

Type

End

3' 11-1/2" x 8' 0" 7/16" OSB

7/16" OSB

A: * 3' 10"

B: 2' 3-11/16"

C: * 6' 1-11/16"

D: N.A.

E: 3' 11-1/2"

F: N.A.

G: 3' 11-1/2"

H: N.A.

2' 8-1/2" x 8' 0" 7/16" OSB

7/16" OSB

A: * 6' 1-11/16"

B: N.A.

C: * 4' 6-3/4"

D: 1' 6-15/16"

E: 2' 8-1/2"

F: N.A.

G: 2' 8-1/2"

H: N.A.

2' 8" x 8' 0" 7/16" OSB

7/16" OSB

A: * 4' 6-3/4"

B: N.A.

C: * 3' 0-1/16"

D: 1' 6-11/16"

E: 2' 8"

F: N.A.

G: 2' 8"

H: N.A.

2' 7-15/16" x 8' 0" 7/16" OSB

7/16" OSB

A: * 3' 0-1/16"

B: N.A.

C: * 1' 5-7/16"

E: 2' 7-15/16"

G: 2' 7-15/16"



D: 1' 6-5/8"

F: N.A.

H: N.A.

Flush

*** Sloped Stud Lengths ***						
Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	11' 6-3/4"	* 11' 7-5/8"	7.00	30.3	0"	0"
(1)	12' 3-11/16"	* 12' 4-9/16"	7.00	30.3	1' 5-5/8"	1' 3-1/4"
(1)	* 10' 9-5/16"	10' 8-7/16"	-7.00	-30.3	6' 1-13/16"	9' 3-1/4"
(1)	* 9' 11-15/16"	9' 11-1/16"	-7.00	-30.3	7' 8-5/16"	10' 7-1/4"
(1)	* 9' 3-1/8"	9' 2-1/4"	-7.00	-30.3	9' 1-7/8"	11' 10-7/16"



Panel #51**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [14] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 1' 0"

(1) 17' 5-1/4"

Start Rake Cut: 30.3 Deg /

End Rake Cut: 30.3 Deg /

TS: 17' 4-3/8"

Bottom: (1) 2X4 x 16' 0" (#2 SPF & BTR)

Insert

Start

End

* L CRNR(2X4) Down

@ Start

5"

*** Sheathing ***

Bottom Plate Lap: Flush

Start Type

End

Flush 1' 0" x 3' 1-1/4" 7/16" OSB

7/16" OSB

A: * 3' 1"

B: 1' 9"

C: * 4' 10"

D: N.A.

E: 3' 0"

F: N.A.

G: 3' 0"

H: N.A.

7/16" OSB

A: * 4' 10"

B: 2' 4"

C: * 7' 2"

D: N.A.

E: 4' 0"

F: N.A.

G: 4' 0"

H: N.A.

7/16" OSB

A: * 7' 2"

B: 10"

C: * 8' 0"

D: N.A.

E: 1' 5-1/8"

F: 2' 6-7/8"

G: 4' 0"

H: N.A.

7/16" OSB

A: N.A.

B: 1' 6"

C: * 1' 6"

D: N.A.

E: 2' 6-7/8"

F: N.A.

G: 2' 6-7/8"

H: N.A.

4' 0" x 8' 0" 7/16" OSB

7/16" OSB

A: * 1' 6"
 C: * 3' 10"
 E: 4' 0"
 G: 4' 0"

B: 2' 4"
 D: N.A.
 F: N.A.
 H: N.A.



Flush

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 2' 10-1/4"	* 2' 10-1/4"				
(1)	2' 9-3/4"	* 2' 10-5/8"	7.00	30.3	0"	1' 0"
(1)	2' 11-11/16"	* 3' 0-9/16"	7.00	30.3	3-3/4"	1' 3-1/4"
(1)	3' 9"	* 3' 9-7/8"	7.00	30.3	1' 10-5/16"	2' 7-1/4"
(1)	4' 6-5/16"	* 4' 7-3/16"	7.00	30.3	3' 4-13/16"	3' 11-1/4"
(1)	5' 3-11/16"	* 5' 4-9/16"	7.00	30.3	4' 11-5/16"	5' 3-1/4"
(1)	6' 1"	* 6' 1-7/8"	7.00	30.3	6' 5-7/8"	6' 7-1/4"
(1)	6' 10-5/16"	* 6' 11-3/16"	7.00	30.3	8' 0-3/8"	7' 11-1/4"
(1)	7' 7-11/16"	* 7' 8-9/16"	7.00	30.3	9' 6-7/8"	9' 3-1/4"
(1)	8' 5"	* 8' 5-7/8"	7.00	30.3	11' 1-7/16"	10' 7-1/4"
(1)	9' 2-5/16"	* 9' 3-3/16"	7.00	30.3	12' 7-15/16"	11' 11-1/4"
(1)	9' 11-11/16"	* 10' 0-9/16"	7.00	30.3	14' 2-1/2"	13' 3-1/4"
(1)	10' 9"	* 10' 9-7/8"	7.00	30.3	15' 9"	14' 7-1/4"
(1)	11' 5-7/8"	* 11' 6-3/4"	7.00	30.3	17' 2-5/8"	15' 10-1/2"

Panel #51 Continued Next Page

Panel #51 (Continued)



Panel #8**Start Of Panel: 0"**

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [7] 1' 4" o.c.

Top Plates: (1) 2X4 x 16' 0" (#2 SPF & BTR)

Bottom: (1) 2X4 x 16' 0" (TREATED)

The stud located at 1' 4" is omitted.

*** Panel Diagonal 17' 10-1/2" ***

Insert	Start	End

* L CRNR(2X4) Down	@ Start	5"
48x60-LB	6' 8"	10' 8"

*** Sheathing ***



Bottom Plate Lap: Flush

Start	Type	End

Flush	4' 0" x 8' 0"	7/16" OSB
	4' 0" x 8' 0"	7/16" OSB
	4' 0" x 8' 0"	7/16" OSB
	4' 0" x 8' 0"	7/16" OSB
		Flush

Panel #8 Continued Next Page

Panel #8 (Continued)



Panel #9

Start Of Panel: 0"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [8] 1' 4" o.c.

Top Plates: (1) 2X4 x 11' 11-15/16" (#2 SPF & BTR)



Bottom: (1) 2X4 x 11' 11-15/16" (TREATED)

*** Panel Diagonal 14' 4-7/8" ***

Insert	Start	End
24x48-LB	3' 2"	5' 2"

*** Sheathing ***

Bottom Plate Lap: Flush	Type	End
4' 0" x 8' 0"	7/16" OSB	
4' 0" x 8' 0"	7/16" OSB	
3' 11-15/16" x 8' 0"	7/16" OSB	Flush



Panel #10

Start Of Panel: 0"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [6] 1' 4" o.c.

Top Plates: (1) 2X4 x 11' 10-15/16" (#2 SPF & BTR)
Bottom: (1) 2X4 x 11' 10-15/16" (TREATED)

The stud located at 10' 8" is omitted.

*** Panel Diagonal 14' 4" ***



Insert	Start	End
24x48-LB	7' 11"	9' 11"
L CRNR(2X4) Down *	11' 5-15/16"	@ End

*** Sheathing ***

Bottom Plate Lap: Flush		
Start	Type	End
4' 0" x 8' 0"	7/16" OSB	
4' 0" x 8' 0"	7/16" OSB	
3' 10-15/16" x 8' 0"	7/16" OSB	Flush

Panel #10 Continued Next Page

Panel #10 (Continued)



Panel #14

Start Of Panel: 0"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 11' 2-1/2" (#2 SPF & BTR)

Bottom: (1) 2X4 x 11' 2-1/2" (TREATED)

*** Panel Diagonal 13' 9" ***



Insert	Start	End

* L CRNR(2X4) Down	@ Start	5"

*** Sheathing ***

Bottom Plate Lap: Flush			End
Start	Type		

Flush	4' 0" x 8' 0"	7/16" OSB	
	4' 0" x 8' 0"	7/16" OSB	
	3' 2-1/2" x 8' 0"	7/16" OSB	Flush



Panel #16

Start Of Panel: 8-1/2"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [9] 1' 4" o.c.

Top Plates: (1) 2X4 x 11' 2-1/2" (#2 SPF & BTR)



Bottom: (1) 2X4 x 11' 2-1/2" (TREATED)

*** Panel Diagonal 13' 9" ***

Insert	Start	End
L CRNR(2X4) Down *	11' 6"	@ End

*** Sheathing ***

Bottom Plate Lap: Flush	Type	End
Flush	3' 3-1/2" x 8' 0" 7/16" OSB	
	4' 0" x 8' 0" 7/16" OSB	
	3' 11" x 8' 0" 7/16" OSB	Flush



Panel #15

Start Of Panel: 6-1/2"

Studs: 2X4 x 7' 8-5/8" (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: (1) 2X4 x 17' 6" (#2 SPF & BTR)
Bottom: (1) 2X4 x 17' 6" (TREATED)


*** Panel Diagonal 19' 2-3/4" ***

Insert	Start	End
-----	-----	-----
Garage-LB	1' 2"	17' 5"


*** Sheathing ***

Bottom Plate Lap: Flush

Start	Type	End
-----	-----	-----
Flush	3' 5-1/2" x 8' 0" 7/16" OSB	
	4' 0" x 8' 0" 7/16" OSB	
	4' 0" x 8' 0" 7/16" OSB	
	4' 0" x 8' 0" 7/16" OSB	
	2' 0-1/2" x 8' 0" 7/16" OSB	Flush



Garage-LB-(0)



Panel #57**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [11] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 12' 8-9/16"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 12' 7-11/16"

(1) 11-15/16"

Bottom: (1) 2X4 x 11' 10-15/16" (#2 SPF & BTR)

Insert

Start

End

L CRNR(2X4) Down *

11' 5-15/16"

@ End

*** Sheathing ***

Bottom Plate Lap: Flush

Start Type

End

7/16" OSB

A: * 8' 0"

B: N.A.

C: * 7' 1-7/16"

D: 10-9/16"

E: 2' 5-7/8"

F: 1' 6-1/8"

G: 4' 0"

H: N.A.

7/16" OSB

A: * 1' 5-7/16"

B: N.A.

C: N.A.

D: 1' 5-7/16"

E: 2' 5-7/8"

F: N.A.

G: N.A.

H: N.A.

7/16" OSB

A: * 7' 1-7/16"

B: N.A.

C: * 4' 9-7/16"

D: 2' 4"

E: 4' 0"

F: N.A.

G: 4' 0"

H: N.A.

7/16" OSB

A: * 4' 9-7/16"

B: N.A.

C: * 3' 1"

D: 1' 8-7/16"

E: 2' 11"

F: N.A.

G: 2' 11"

H: N.A.



11-15/16" x 3' 1-1/4"

7/16" OSB

Flush

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 9' 2-3/16"	9' 1-5/16"	-7.00	-30.3	0"	0"
(1)	* 8' 5-5/16"	8' 4-7/16"	-7.00	-30.3	1' 5-5/8"	1' 3-1/4"
(1)	* 7' 7-15/16"	7' 7-1/16"	-7.00	-30.3	3' 0-3/16"	2' 7-1/4"
(1)	* 6' 10-5/8"	6' 9-3/4"	-7.00	-30.3	4' 6-11/16"	3' 11-1/4"
(1)	* 6' 1-5/16"	6' 0-7/16"	-7.00	-30.3	6' 1-1/4"	5' 3-1/4"
(1)	* 5' 3-15/16"	5' 3-1/16"	-7.00	-30.3	7' 7-3/4"	6' 7-1/4"
(1)	* 4' 6-5/8"	4' 5-3/4"	-7.00	-30.3	9' 2-1/4"	7' 11-1/4"
(1)	* 3' 9-5/16"	3' 8-7/16"	-7.00	-30.3	10' 8-13/16"	9' 3-1/4"
(1)	* 2' 11-15/16"	2' 11-1/16"	-7.00	-30.3	12' 3-5/16"	10' 7-1/4"
(1)	* 2' 10-5/8"	2' 9-3/4"	-7.00	-30.3	12' 5-15/16"	10' 9-1/2"
(1)	* 2' 10-1/4"	* 2' 10-1/4"				



Panel #56**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 9' 4-1/2"

Start Rake Cut: 120.3 Deg \

End Rake Cut: 120.3 Deg \

TS: 9' 3-5/8"

Bottom: (1) 2X4 x 8' 0-7/16" (#2 SPF & BTR)

Insert

Start

End

*64x70-LB

9"

7' 1"

*** Sheathing ***

Bottom Plate Lap: Flush

Start

Type

End

4' 0" x 8' 0" 7/16" OSB

7/16" OSB

A: * 6' 1-11/16"

B: N.A.

C: * 3' 9-11/16"

D: 2' 4"

E: 4' 0"

F: N.A.

G: 4' 0"

H: N.A.

2' 8" x 8' 0" 7/16" OSB

7/16" OSB

A: * 3' 9-11/16"

B: N.A.

C: * 2' 3-1/16"

D: 1' 6-11/16"

E: 2' 8"

F: N.A.

G: 2' 8"

H: N.A.

1' 4-7/16" x 8' 0" 7/16" OSB

7/16" OSB

A: * 2' 3-1/16"

B: N.A.

C: * 1' 5-7/16"

D: 9-9/16"

E: 1' 4-7/16"

F: N.A.


G: 1' 4-7/16"

H: N.A.

Flush

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 13' 10-1/2"	13' 9-5/8"	-7.00	-30.3	0"	0"
(1)	* 9' 3-1/8"	9' 2-1/4"	-7.00	-30.3	9' 1-7/8"	7' 10-15/16"



Panel #55
Start Of Panel: 0"
Studs: 2X4 Sloped (#2 SPF & BTR) [2] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)
(1) 9' 3-3/8"
Start Rake Cut: 30.3 Deg /
End Rake Cut: 30.3 Deg /
TS: 9' 2-1/2"

Bottom: (1) 2X4 x 7' 11-7/16" (#2 SPF & BTR)

Insert	Start	End
*64x70-LB	10-1/2"	7' 2-1/2"

*** Sheathing ***

Bottom Plate Lap: Flush			
Start	Type	End	

	4' 0" x 8' 0"	7/16" OSB	
7/16" OSB	A: * 1' 6"	B: 2' 4"	
	C: * 3' 10"	D: N.A.	
	E: 4' 0"	F: N.A.	
	G: 4' 0"	H: N.A.	

3' 11-7/16" x 8' 0" 7/16" OSB

7/16" OSB	A: * 3' 10"	B: 2' 3-11/16"
	C: * 6' 1-11/16"	D: N.A.
	E: 3' 11-7/16"	F: N.A.
	G: 3' 11-7/16"	H: N.A.

Flush



*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location

(1)	9' 2-3/4"	* 9' 3-5/8"	7.00	30.3	0"	0"
(1)	13' 9-5/8"	* 13' 10-1/2"	7.00	30.3	9' 0-13/16"	7' 10"

Panel #55 Continued Next Page

Panel #55 (Continued)



Panel #54**Start Of Panel: 0"**

Studs: 2X4 Sloped (#2 SPF & BTR) [11] 1' 4" o.c.

Top Plates: 2X4 (#2 SPF & BTR)

(1) 1' 0"

(1) 12' 9-11/16"

Start Rake Cut: 30.3 Deg /

End Rake Cut: 30.3 Deg /

TS: 12' 8-13/16"

Bottom: (1) 2X4 x 12' 0" (#2 SPF & BTR)

Insert

Start

End

* L CRNR(2X4) Down

@ Start

5"

*** Sheathing ***

Bottom Plate Lap: Flush

Start Type

End

Flush 1' 0" x 3' 1-1/4" 7/16" OSB

7/16" OSB

A: * 3' 1"

B: 1' 9"

C: * 4' 10"

D: N.A.

E: 3' 0"

F: N.A.

G: 3' 0"

H: N.A.

7/16" OSB

A: * 4' 10"

B: 2' 4"

C: * 7' 2"

D: N.A.

E: 4' 0"

F: N.A.

G: 4' 0"

H: N.A.

7/16" OSB

A: * 7' 2"

B: 10"

C: * 8' 0"

D: N.A.

E: 1' 5-1/8"

F: 2' 6-7/8"

G: 4' 0"

H: N.A.

7/16" OSB

A: N.A.

B: 1' 6"

C: * 1' 6"

D: N.A.

E: 2' 6-7/8"

F: N.A.

G: 2' 6-7/8"

H: N.A.

Flush

*** Sloped Stud Lengths ***

Quan.	Left Edge	Right Edge	Pitch (/12)	Angle	Top Plate Location	Bot. Plate Location
(1)	* 2' 10-1/4"	* 2' 10-1/4"				
(1)	2' 9-3/4"	* 2' 10-5/8"	7.00	30.3	0"	1' 0"
(1)	2' 11-11/16"	* 3' 0-9/16"	7.00	30.3	3-3/4"	1' 3-1/4"
(1)	3' 9"	* 3' 9-7/8"	7.00	30.3	1' 10-5/16"	2' 7-1/4"
(1)	4' 6-5/16"	* 4' 7-3/16"	7.00	30.3	3' 4-13/16"	3' 11-1/4"
(1)	5' 3-11/16"	* 5' 4-9/16"	7.00	30.3	4' 11-5/16"	5' 3-1/4"
(1)	6' 1"	* 6' 1-7/8"	7.00	30.3	6' 5-7/8"	6' 7-1/4"
(1)	6' 10-5/16"	* 6' 11-3/16"	7.00	30.3	8' 0-3/8"	7' 11-1/4"
(1)	7' 7-11/16"	* 7' 8-9/16"	7.00	30.3	9' 6-7/8"	9' 3-1/4"
(1)	8' 5"	* 8' 5-7/8"	7.00	30.3	11' 1-7/16"	10' 7-1/4"
(1)	9' 1-7/8"	* 9' 2-3/4"	7.00	30.3	12' 7-1/16"	11' 10-1/2"

