



Job: B22215

Bundle Report

Page: 1 of 50

Date: 05/07/2019 10:29:13

Level:

Bundle:

Unit:



Job: B22215

Elevation Report

Page: 2 of 50

Date: 05/07/2019 10:29:13

Level: <Multiple>

Bundle: <None>

Panel: E-1

Stud Spacing

1-04-00

BF

176

Weight

406.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
2-04

L
-

R
5-15

Sheet Zone

Standard

Sheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing

3-00

FieldSpacing

6-00

Gap

3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	9-06-08	0-00				
B	Top Plate	2x6 SPF No.2	(1)	9-06-08	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	2-07-08	0-00				
F	Header Sill	2x6 SPF Stud	(1)	2-07-08	0-00				
G	Window Sill	2x6 SPF Stud	(1)	2-04-08	0-00				
H	Sill Cripple	2x6 SPF Stud	(4)	2-00-14	0-00				
I	Stud	2x6 SPF Stud	(7)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-00-07				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-00-07				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	2-00-07				

E-1



Level: <Multiple>

Bundle: <None>

Panel: E-1 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Block	2x6 SPF Stud	(2)	1-01-12	0-00				
P	Block	2x6 SPF Stud	(7)	1-02-08	0-00				
Q	Block	2x6 SPF Stud	(2)	8-11	0-00				
R	Block	2x6 SPF Stud	(1)	6-11	0-00				
S	Block	2x6 SPF Stud	(2)	3-05	0-00				
U	Filler Cripple	2x6 SPF Stud	(4)	11-00	0-00				
V	Filler Bottom Nailer	2x6 SPF Stud	(1)	2-04-08	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-2

Stud Spacing

1-04-00


BE

170

Weight

372.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
-

L
-

R
-5-15

Sheet Zone
Standard

Sheathing Fasteners

Fastener
10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	7-05-08	0-00				
B	Top Plate	2x6 SPF No.2	(1)	7-05-08	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(4)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	3-07-00	0-00				
F	Header Sill	2x6 SPF Stud	(1)	3-07-00	0-00				
G	Stud	2x6 SPF Stud	(5)	8-08-10	0-00				
H	Flat Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
I	Critical Stud	2x6 SPF Stud	(1)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	4-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	6-11-09				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-11-09				
M	Block	2x6 SPF Stud	(1)	1-00-04	0-00				
N	Block	2x6 SPF Stud	(1)	3-06	0-00				
O	Block	2x6 SPF Stud	(1)	1-01-02	0-00				



Job: B22215

Elevation Report

Page: 5 of 50

Date: 05/07/2019 10:29:13

Level: <Multiple>

Bundle: <None>

Panel: E-2 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
P	Filler Cripple	2x6 SPF Stud	(4)	1-00-06	0-00				
Q	Filler Bottom Nailer	2x6 SPF Stud	(1)	3-01-00	0-00				

E-2

Level: <Multiple>

Bundle: <None>

Panel: E-3

Stud Spacing

1-04-00

BE


48

Weight

133.00 lb

Production Notes:

Square: 9-08-02


Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B

-

L

-

R
5-15

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge
Spacing
3-00

Field
Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	3-07-11	0-00				
B	Top Plate	2x6 SPF No.2	(1)	3-07-11	0-00				
C	Stud	2x6 SPF Stud	(4)	8-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	4-01-10				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-04-14				
G	Block	2x6 SPF Stud	(2)	1-02-08	0-00				
H	Block	2x6 SPF Stud	(1)	8-11	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-5

Stud Spacing

1-04-00

BE


34

Weight

84.00 lb

Production Notes:

Square: 9-01-07

SheathingStandard Material7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)Hold/ExtendI
0-06B
2-04L
-R
5-15Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	1-07-11	0-00				
B	Top Plate	2x6 SPF No.2	(1)	1-07-11	0-00				
C	Stud	2x6 SPF Stud	(3)	8-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-01-10				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-01-10				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	2-01-10				
G	Block	2x6 SPF Stud	(2)	1-02-08	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-6

Stud Spacing

1-04-00

BE


60

Weight

136.00 lb

Production Notes:

Square: 9-05-11



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
2-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	3-00-11	0-00				
B	Top Plate	2x6 SPF No.2	(1)	3-00-11	0-00				
C	Stud	2x6 SPF Stud	(3)	8-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-00-11				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-00-11				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	3-00-11				
H	Block	2x6 SPF Stud	(2)	1-02-07	0-00				
I	Block	2x6 SPF Stud	(2)	1-00-04	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-7

Stud Spacing



1-04-00

BE

213

Weight

476.00 lb

Production Notes:**Sheathing****Standard Material**

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
2-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener
10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	10-00-12	0-00				
B	Top Plate	2x6 SPF No.2	(1)	10-00-12	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	1-10-00	0-00				
F	Header Sill	2x6 SPF Stud	(1)	1-10-00	0-00				
G	Window Sill	2x6 SPF Stud	(1)	1-07-00	0-00				
H	Sill Cripple	2x6 SPF Stud	(3)	4-06-06	0-00				
I	Stud	2x6 SPF Stud	(8)	8-08-10	0-00				
J	Flat Stud	2x8 HF No.2	(1)	8-08-10	0-00				
K	Flat Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	7-05-06				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	7-05-06				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	7-05-06				

E-7



Level: <Multiple>

Bundle: <None>

Panel: E-7 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-07-06				
P	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	2-07-06				
Q	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	2-07-06				
R	Block	2x6 SPF Stud	(4)	1-02-08	0-00				
S	Block	2x6 SPF Stud	(2)	1-00-04	0-00				
T	Block	2x6 SPF Stud	(2)	9-08	0-00				
U	Block	2x6 SPF Stud	(2)	1-02-02	0-00				
V	Block	2x6 SPF Stud	(2)	10-06	0-00				
W	Block	2x6 SPF Stud	(2)	4-02	0-00				
X	Block	2x6 SPF Stud	(2)	5-14	0-00				
Y	Filler Cripple	2x6 SPF Stud	(3)	11-00	0-00				
Z	Filler Bottom Nailer	2x6 SPF Stud	(1)	1-07-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-10

Stud Spacing


1-04-00

BE

115

Weight

330.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/ExtendI
0-06B
10-04L
-R
5-15

Sheet Zone
Standard

Sheathing Fasteners

Fastener
10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	9-07-11	0-00				
B	Top Plate	2x6 SPF No.2	(1)	9-07-11	0-00				
C	Stud	2x6 SPF Stud	(9)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	4-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-04-14				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-04-14				
I	Block	2x6 SPF Stud	(13)	1-02-08	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-11

Stud Spacing

1-04-00

BE


55

Weight

131.00 lb

Production Notes:

Square: 8-06-07


Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
10-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener
10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	3-00-12	0-00				
B	Top Plate	2x6 SPF No.2	(1)	3-00-12	0-00				
C	Stud	2x6 SPF Stud	(3)	7-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	(2)	7-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-00-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-00-12				
G	Block	2x6 SPF Stud	(2)	1-02-08	0-00				
H	Block	2x6 SPF Stud	(2)	1-00-04	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-16

Stud Spacing


1-04-00

BE

115

Weight

330.00 lb

Production Notes:SheathingStandard Material7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)Hold/ExtendI
0-06B
10-04L
-R
5-15Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	9-07-11	0-00				
B	Top Plate	2x6 SPF No.2	(1)	9-07-11	0-00				
C	Stud	2x6 SPF Stud	(9)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	4-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-04-14				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-04-14				
I	Block	2x6 SPF Stud	(13)	1-02-08	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-18

Stud Spacing

1-04-00

BF


55

Weight

131.00 lb

Production Notes:

Square: 8-06-07



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
10-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	3-00-12	0-00				
B	Top Plate	2x6 SPF No.2	(1)	3-00-12	0-00				
C	Stud	2x6 SPF Stud	(3)	7-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	(2)	7-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-00-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-00-12				
G	Block	2x6 SPF Stud	(2)	1-02-08	0-00				
H	Block	2x6 SPF Stud	(2)	1-00-04	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-24

Stud Spacing


1-04-00

BE

128

Weight

366.00 lb

Production Notes:SheathingStandard Material7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)Hold/ExtendI
0-06BL
5-15RSheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	11-05-05	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-05-05	0-00				
C	Stud	2x6 SPF Stud	(10)	8-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-11-04				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	3-11-04				
H	Block	2x6 SPF Stud	(1)	7-13	0-00				
I	Block	2x6 SPF Stud	(7)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-25

Stud Spacing

1-04-00

BF



132

Weight

323.00 lb

Production Notes:

Square: 12-00-04

SheathingStandard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/ExtendI
0-06

B

L

R

Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	8-00-00	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	1-10-00	0-00				
F	Header Sill	2x6 SPF Stud	(1)	1-10-00	0-00				
G	Window Sill	2x6 SPF Stud	(1)	1-07-00	0-00				
H	Sill Cripple	2x6 SPF Stud	(3)	4-00-06	0-00				
I	Stud	2x6 SPF Stud	(5)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	4-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-03-04				
N	Block	2x6 SPF Stud	(3)	1-02-08	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-25 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Block	2x6 SPF Stud	(1)	11-08	0-00				
P	Block	2x6 SPF Stud	(1)	8-08	0-00				
Q	Filler Cripple	2x6 SPF Stud	(3)	11-00	0-00				
R	Filler Bottom Nailer	2x6 SPF Stud	(1)	1-07-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-26

Stud Spacing



1-04-00

BF

177

Weight

442.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

BLR

Sheet Zone
Standard

Sheathing FastenersFastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(4)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	6-07-00	0-00				
F	Header Sill	2x6 SPF Stud	(1)	6-07-00	0-00				
G	Stud	2x6 SPF Stud	(5)	8-08-10	0-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	6-08-12				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-00-00	5-03-04				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-03-04				
M	Block	2x6 SPF Stud	(2)	1-02-08	0-00				
N	Block	2x6 SPF Stud	(1)	11-14	0-00				



Job: B22215

Elevation Report

Page: 19 of 50

Date: 05/07/2019 10:29:13

Level: <Multiple>

Bundle: <None>

Panel: E-26 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Block	2x6 SPF Stud	(1)	1-01-00	0-00				
P	Filler Cripple	2x6 SPF Stud	(6)	1-00-06	0-00				
Q	Filler Bottom Nailer	2x6 SPF Stud	(1)	6-01-00	0-00				

E-26

Level: <Multiple>

Bundle: <None>

Panel: E-27

Stud Spacing

1-04-00



BE

205

Weight

513.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/Extend

I
0-06

B
2-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	11-11-05	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-11-05	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(4)	7-10-02	0-00				
E	Header	3-1/8" x 10-1/2" BOISE GLULAM® 24F-V4/DF	(1)	6-07-00	0-00				
F	Window Sill	2x6 SPF Stud	(1)	6-01-00	0-00				
G	Sill Cripple	2x6 SPF Stud	(6)	2-06-06	0-00				
H	Stud	2x6 SPF Stud	(4)	8-08-10	0-00				
I	Flat Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-05				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-05				



Level: <Multiple>

Bundle: <None>

Panel: E-27 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	3-11-05				
O	Block	2x6 SPF Stud	(2)	8-04	0-00				
P	Block	2x6 SPF Stud	(5)	1-02-08	0-00				
Q	Block	2x6 SPF Stud	(2)	1-02-15	0-00				
R	Block	2x6 SPF Stud	(1)	9-09	0-00				
S	Block	2x6 SPF Stud	(1)	10-15	0-00				
T	Block	2x6 SPF Stud	(2)	1-00-02	0-00				
U	Filler Cripple	2x6 SPF Stud	(6)	11-04	0-00				
V	Filler Bottom Nailer	2x6 SPF Stud	(1)	6-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-28

Stud Spacing



1-04-00

BF

191

Weight

455.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/ExtendI
0-06B
2-04L
5-15R
-Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	11-05-05	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-05-05	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	2-07-08	0-00				
F	Header Sill	2x6 SPF Stud	(1)	2-07-08	0-00				
G	Window Sill	2x6 SPF Stud	(1)	2-04-08	0-00				
H	Sill Cripple	2x6 SPF Stud	(3)	2-00-14	0-00				
I	Stud	2x6 SPF Stud	(8)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-04				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-04				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	3-11-04				



Level: <Multiple>

Bundle: <None>

Panel: E-28 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Block	2x6 SPF Stud	(2)	7-13	0-00				
P	Block	2x6 SPF Stud	(6)	1-02-08	0-00				
Q	Block	2x6 SPF Stud	(2)	1-00-09	0-00				
R	Block	2x6 SPF Stud	(1)	1-01-07	0-00				
S	Block	2x6 SPF Stud	(1)	10-09	0-00				
T	Block	2x6 SPF Stud	(2)	1-01-15	0-00				
U	Block	2x6 SPF Stud	(2)	1-01-00	0-00				
V	Filler Cripple	2x6 SPF Stud	(3)	11-00	0-00				
W	Filler Bottom Nailer	2x6 SPF Stud	(1)	2-04-08	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-29

Stud Spacing

1-04-00

BE


108

Weight

280.00 lb

Production Notes:

Square: 12-00-04


Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
2-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	8-00-00	0-00				
C	Stud	2x6 SPF Stud	(7)	8-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	(1)	8-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
G	Block	2x6 SPF Stud	(6)	1-02-08	0-00				
H	Block	2x6 SPF Stud	(2)	1-00-03	0-00				
I	Block	2x6 SPF Stud	(2)	11-05	0-00				
J	Block	2x6 SPF Stud	(2)	1-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-30

Stud Spacing


1-04-00

BE

258

Weight

567.00 lb

Production Notes:SheathingStandard Material7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)Hold/ExtendI
0-06B
2-04L
-R
-Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	12-00-00	0-00				
AA	Filler Bottom Nailer	2x6 SPF Stud	(1)	3-01-00	0-00				
AB	Filler Cripple	2x6 SPF Stud	(3)	11-00	0-00				
AC	Filler Bottom Nailer	2x6 SPF Stud	(1)	2-01-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SPF Stud	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(6)	7-09-14	0-00				
E	Header	2x10 HF SS	(2)	3-07-00	0-00				
F	Header	2x10 HF SS	(2)	2-04-00	0-00				
G	Header Sill	2x6 SPF Stud	(1)	3-07-00	0-00				
H	Header Sill	2x6 SPF Stud	(1)	2-04-00	0-00				
I	Window Sill	2x6 SPF Stud	(1)	2-01-00	0-00				
J	Sill Cripple	2x6 SPF Stud	(3)	3-06-06	0-00				
K	Stud	2x6 SPF Stud	(6)	8-08-10	0-00				
L	Flat Stud	2x6 SPF Stud	(1)	8-08-10	0-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				

E-30



Level: <Multiple>

Bundle: <None>

Panel: E-30 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	4-00-00				
P	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	4-00-00				
Q	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	4-00-00				
R	Block	2x6 SPF Stud	(3)	1-02-08	0-00				
S	Block	2x6 SPF Stud	(1)	1-02-08	0-00				
T	Block	2x6 SPF Stud	(2)	10-00	0-00				
U	Block	2x6 SPF Stud	(2)	1-00-07	0-00				
V	Block	2x6 SPF Stud	(1)	1-01-09	0-00				
W	Block	2x6 SPF Stud	(1)	6-15	0-00				
X	Block	2x6 SPF Stud	(2)	3-01	0-00				
Y	Block	2x6 SPF Stud	(2)	1-01-00	0-00				
Z	Filler Cripple	2x6 SPF Stud	(4)	1-00-06	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-31

Stud Spacing


1-04-00

BE

147

Weight

392.00 lb

Production Notes:SheathingStandard Material7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)Hold/ExtendI
0-06B
2-04L
-R
-Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SPF Stud	(10)	8-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	6-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	6-08-12				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	5-03-04				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	5-03-04				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	5-03-04				
J	Block	2x6 SPF Stud	(16)	1-02-08	0-00				
K	Block	2x6 SPF Stud	(2)	1-01-00	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-32

Stud Spacing

1-04-00



BE

213

Weight

528.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/Extend

I

0-06

B

2-04

L

-

R

-

Sheet Zone

Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing

3-00

Field

Spacing

6-00

Gap

3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	11-11-04	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-11-04	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(4)	7-10-02	0-00				
E	Header	3-1/8" x 10-1/2" BOISE GLULAM® 24F-V4/DF	(1)	6-07-00	0-00				
F	Window Sill	2x6 SPF Stud	(1)	6-01-00	0-00				
G	Sill Cripple	2x6 SPF Stud	(6)	2-06-06	0-00				
H	Stud	2x6 SPF Stud	(5)	8-08-10	0-00				
I	Flat Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-04				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	4-00-00	3-11-04				

E-32



Level: <Multiple>

Bundle: <None>

Panel: E-32 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	1-02-04	3-11-04				
O	Block	2x6 SPF Stud	(2)	8-04	0-00				
P	Block	2x6 SPF Stud	(7)	1-02-08	0-00				
Q	Block	2x6 SPF Stud	(1)	6-15	0-00				
R	Block	2x6 SPF Stud	(1)	1-01-09	0-00				
S	Block	2x6 SPF Stud	(2)	9-07	0-00				
T	Filler Cripple	2x6 SPF Stud	(6)	11-04	0-00				
U	Filler Bottom Nailer	2x6 SPF Stud	(1)	6-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-36

Stud Spacing



1-04-00

BE

129

Weight

378.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/ExtendI
0-06B
10-04L
5-15R
-

Sheet Zone
Standard

Sheathing FastenersFastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	11-05-05	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-05-05	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-11-04				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-11-04				
H	Block	2x6 SPF Stud	(2)	7-13	0-00				
I	Block	2x6 SPF Stud	(12)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: E-37

Stud Spacing


1-04-00

BE

119

Weight

370.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
10-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener
10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	5-03-04				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-03-04				
I	Block	2x6 SPF Stud	(8)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-38

Stud Spacing

1-04-00


BE

119

Weight

370.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
0-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	5-03-04				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-03-04				
I	Block	2x6 SPF Stud	(8)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-39

Stud Spacing

1-04-00



BE

192

Weight

483.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I
0-06

B
10-04

L
-

R
-

Sheet Zone
Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing
3-00

Field

Spacing
6-00

Gap
3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	11-11-04	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-11-04	0-00				
C	King Stud	2x6 SPF Stud	(2)	7-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	6-09-14	0-00				
E	Header	2x10 HF SS	(2)	3-04-00	0-00				
F	Header Sill	2x6 SPF Stud	(1)	3-04-00	0-00				
G	Window Sill	2x6 SPF Stud	(1)	3-01-00	0-00				
H	Sill Cripple	2x6 SPF Stud	(4)	2-06-06	0-00				
I	Stud	2x6 SPF Stud	(8)	7-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	(2)	7-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-11-04				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-11-04				

E-39



Level: <Multiple>

Bundle: <None>

Panel: E-39 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
O	Block	2x6 SPF Stud	(2)	8-04	0-00				
P	Block	2x6 SPF Stud	(6)	1-02-08	0-00				
Q	Block	2x6 SPF Stud	(2)	3-12	0-00				
R	Block	2x6 SPF Stud	(2)	1-02-04	0-00				
S	Block	2x6 SPF Stud	(2)	1-01-00	0-00				
T	Filler Bottom Nailer	2x6 SPF Stud	(1)	3-01-00	0-00				

Level: <Multiple>

Bundle: <None>

Panel: E-40

Stud Spacing

1-04-00


BE

129

Weight

378.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated
Sheathing 24/16 Exposure
1)

Hold/Extend

I

0-06

B

10-04

L

5-15

R

-

Sheet Zone

Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing

3-00

Field

Spacing

6-00

Gap

3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	11-05-05	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-05-05	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-11-04				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-11-04				
H	Block	2x6 SPF Stud	(2)	7-13	0-00				
I	Block	2x6 SPF Stud	(12)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				



Job: B22215

Elevation Report

Page: 37 of 50

Date: 05/07/2019 10:29:13

Level: <Multiple>

Bundle: <None>

Panel: E-41 Continued

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
N	Block	2x6 SPF Stud	(1)	5-13	0-00				
O	Block	2x6 SPF Stud	(1)	1-01-00	0-00				

E-41



Level: <Multiple>

Bundle: <None>

Panel: E-42

Stud Spacing

1-04-00


BE

119

Weight

370.00 lb

Production Notes:



Sheathing

Standard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/Extend

I

0-06

B

10-04

L

-

R

-

Sheet Zone

Standard

Sheathing Fasteners

Fastener

10d (0.131"x3") nails

Edge

Spacing

3-00

Field

Spacing

6-00

Gap

3-00

Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	2-08-12				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	6-08-12				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	5-03-04				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	1-03-04				
I	Block	2x6 SPF Stud	(8)	1-02-08	0-00				
J	Block	2x6 SPF Stud	(1)	1-01-00	0-00				



Job: B22215

Elevation Report

Page: 39 of 50

Date: 05/07/2019 10:29:13

Level: <Multiple>

Bundle: <None>

Panel: E-43

Stud Spacing


1-04-00

BE

151

Weight

414.00 lb

Production Notes:SheathingStandard Material

7/16" OSB (APA Rated

Sheathing 24/16 Exposure

1)

Hold/ExtendI
0-06B
10-04L
-R
-Sheet Zone
StandardSheathing FastenersFastener

10d (0.131"x3") nails

EdgeSpacing
3-00FieldSpacing
6-00Gap
3-00Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	11-11-04	0-00				
B	Top Plate	2x6 SPF No.2	(1)	11-11-04	0-00				
C	Stud	2x6 SPF Stud	(10)	7-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	(2)	7-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(2)	8-00-00	4-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	8-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-00-00	3-11-04				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	10-04	3-11-04				
I	Block	2x6 SPF Stud	(2)	8-04	0-00				
J	Block	2x6 SPF Stud	(14)	1-02-08	0-00				
K	Block	2x6 SPF Stud	(2)	1-01-00	0-00				

E-43



Level: <Multiple>

Bundle: <None>


Panel: i-5

Stud SpacingBFWeightProduction Notes:

1-04-00

74

134.00 lb

**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	10-01-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	10-01-00	0-00				
C	Stud	2x4 SPF Stud	(9)	8-08-10	0-00				
D	Flat Stud	2x4 SPF Stud	(1)	8-08-10	0-00				



Level: <Multiple>

Bundle: <None>

Panel: i-6

Stud Spacing


1-04-00

BE

74

Weight

134.00 lb

Production Notes:**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	10-01-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	10-01-00	0-00				
C	Stud	2x4 SPF Stud	(9)	8-08-10	0-00				
D	Flat Stud	2x4 SPF Stud	(1)	8-08-10	0-00				

Level: <Multiple>

Bundle: <None>

Panel: i-7

Stud Spacing

1-04-00


BF

78

Weight

140.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	6-10-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-10-00	0-00				
C	King Stud	2x4 SPF Stud	(2)	8-08-10	0-00				
D	Jack Stud	2x4 SPF Stud	(2)	6-08-00	0-00				
E	Header	2x4 SPF No.2	(1)	2-10-08	0-00				
F	Header Cripple	2x4 SPF Stud	(4)	1-11-02	0-00				
G	Stud	2x4 SPF Stud	(6)	8-08-10	0-00				
H	Flat Stud	2x4 SPF Stud	(1)	8-08-10	0-00				



Level: <Multiple>

Bundle: <None>

Panel: i-11

Stud Spacing

1-04-00


BE

67

Weight

123.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	10-01-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	10-01-00	0-00				
C	Stud	2x4 SPF Stud	(9)	7-08-10	0-00				
D	Flat Stud	2x4 SPF Stud	(1)	7-08-10	0-00				



Level: <Multiple>

Bundle: <None>

Panel: i-12

Stud Spacing

1-04-00


BF

67

Weight

121.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	6-10-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-10-00	0-00				
C	King Stud	2x4 SPF Stud	(2)	7-08-10	0-00				
D	Jack Stud	2x4 SPF Stud	(2)	6-08-00	0-00				
E	Header	2x4 SPF No.2	(1)	2-10-00	0-00				
F	Header Cripple	2x4 SPF Stud	(4)	11-02	0-00				
G	Stud	2x4 SPF Stud	(5)	7-08-10	0-00				
H	Flat Stud	2x6 HF SS	(1)	7-08-10	0-00				

Level: <Multiple>

Bundle: <None>

Panel: i-13

Stud Spacing

1-04-00


BE

67

Weight

123.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	10-01-00	0-00				
B	Top Plate	2x4 SPF No.2	(1)	10-01-00	0-00				
C	Stud	2x4 SPF Stud	(9)	7-08-10	0-00				
D	Flat Stud	2x4 SPF Stud	(1)	7-08-10	0-00				



Level: <Multiple>

Bundle: <None>

Panel: i-14


Stud SpacingBEWeightProduction Notes:

1-04-00

56

103.00 lb

Square: 11-04-05

**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	6-11-11	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-11-11	0-00				
C	Stud	2x4 SPF Stud	(8)	8-08-10	0-00				



Level: <Multiple>

Bundle: <None>

Panel: i-15

Stud Spacing

1-04-00

BF


50

Weight

94.00 lb

Production Notes:

Square: 10-07-01

**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x4 SPF No.1	(1)	6-11-11	0-00				
B	Top Plate	2x4 SPF No.2	(1)	6-11-11	0-00				
C	Stud	2x4 SPF Stud	(8)	7-08-10	0-00				

Level: <Multiple>

Bundle: <None>

Panel: ib-1

Stud Spacing

1-04-00


BE

131

Weight

156.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 Wol TREATED	(1)	3-11-01	0-00				
B	Top Plate	2x6 SPF No.2	(1)	3-05-01	0-00				
C	King Stud	2x6 SPF Stud	(2)	8-08-10	0-00				
D	King Stud	2x6 SPF Stud	(1)	1-00-06	0-00				
E	Jack Stud	2x6 SPF Stud	(3)	8-01-02	0-00				
F	Jack Stud	5/8in OSB (19/32" APA Rated Sheathing 40/20 Exposure 1)	(1)	8-01-02	0-00				
G	Jack Stud	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	(1)	8-01-02	0-00				
H	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
I	Header	2x10 HF SS	(2)	3-04-00	0-00				
J	Header Sill	2x6 SPF Stud	(1)	3-04-00	0-00				
K	Filler Cripple	2x6 SPF Stud	(4)	1-00-06	0-00				
L	Filler Bottom Nailer	2x6 SPF Stud	(1)	3-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: ib-3

Stud Spacing


1-04-00

BF

196

Weight

291.00 lb

Production Notes:**Cutting List**

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	10-01-07	0-00				
B	Top Plate	2x6 SPF No.2	(1)	9-07-15	0-00				
C	King Stud	2x6 SPF Stud	(3)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(2)	7-09-14	0-00				
E	Jack Stud	2x6 SPF Stud	(3)	8-01-02	0-00				
F	Jack Stud	5/8in OSB (19/32" APA Rated Sheathing 40/20 Exposure 1)	(1)	8-01-02	0-00				
G	Jack Stud	3/8"x4"x8' OSB Sheathing EXT (24/0) Textured	(1)	8-01-02	0-00				
H	Header	2x10 HF SS	(2)	3-04-00	0-00				
I	Header Sill	2x6 SPF Stud	(1)	3-04-00	0-00				
J	Stud	2x6 SPF Stud	(5)	8-08-10	0-00				
K	Filler Cripple	2x6 SPF Stud	(5)	1-00-06	0-00				
L	Filler Bottom Nailer	2x6 SPF Stud	(1)	3-01-00	0-00				



Level: <Multiple>

Bundle: <None>

Panel: ib-4

Stud Spacing

1-04-00


BE

202

Weight

356.00 lb

Production Notes:



Cutting List

Label	Member	Description	Qty	Length	Width	L Miter	R Miter	L Bevel	R Bevel
A	Bottom Plate	2x6 SPF No.1	(1)	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	(1)	12-00-00	0-00				
C	King Stud	2x6 SPF Stud	(4)	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	(4)	7-09-14	0-00				
E	Header	2x10 HF SS	(4)	3-04-00	0-00				
F	Header Sill	2x6 SPF Stud	(2)	3-04-00	0-00				
G	Stud	2x6 SPF Stud	(6)	8-08-10	0-00				
H	Filler Cripple	2x6 SPF Stud	(8)	1-00-06	0-00				
I	Filler Bottom Nailer	2x6 SPF Stud	(2)	3-01-00	0-00				