




Stud Spacing
1-04-00

BF
212


Weight
537.00 lb

Production Notes:

Square: 15-04-13



49"x49"

SheathingStandard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - 5-12

E7



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-06-04	0-00				
B	Top Plate	2x6 SPF No.2	1	12-06-04	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	4	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	4-07-00	0-00				
F	Pad	2x6 SPF No.2	2	8-00	0-00				
G	Window Sill	2x6 SPF No.2	1	4-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	5	3-02-14	0-00				
I	Stud	2x6 SPF Stud	8	8-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	5-00-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	5-00-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	5-00-00				
P	Filler Bottom Nailer	2x6 SPF No.2	2	8-00	0-00				
Q	Filler Top Nailer	2x6 SPF No.2	2	8-00	0-00				
R	Filler Bottom Nailer	2x6 SPF No.2	1	4-01-00	0-00				




Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
120Weight
382.00 lbProduction Notes:

Square: 14-11-12

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	-

E5



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	12-00-00	0-00				
C	Stud	2x6 SPF Stud	10	8-08-10	0-00				
D	Flat Stud	2x4 SPF Stud	1	8-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				



Level: 1st Floor

Bundle: 1 exterior



Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00

BF
205

Weight
545.00 lb

Production Notes:
Don't router beam pocket

**Sheathing**Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E4



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	11-06-00	0-00				
C	King Stud	2x6 SPF Stud	3	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	4	8-00-06	0-00				
E	Jack Stud	2x6 SPF No.2	4	7-11-02	0-00				
F	Header	1-3/4X9-1/2 LP-LVL 2900Fb-2.0E	2	8-07-00	0-00				
G	Pad	2x6 SPF No.2	3	8-00	0-00				
H	Window Sill	2x6 SPF No.2	1	8-01-00	0-00				
I	Sill Cripple	2x6 SPF No.2	8	1-02-14	0-00				
J	Stud	2x6 SPF Stud	2	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				
P	Filler Top Nailer	2x6 SPF No.2	3	8-00	0-00				
Q	Filler Top Nailer Thinned	2x6 SPF No.2 (Rip:5-08 x 1-04)	3	8-00	0-00				
R	Filler Bottom Nailer	2x6 SPF No.2	1	8-01-00	0-00				

Stud Spacing
1-04-00

BF
138

Weight
341.00 lb

Production Notes:

ROOM



O/A FRAMING

Flush

0:00

1:02:08

1:04:00

1:05:08

2:07:04

3:05:00

3:06:08

3:08:00

3:11:04

4:10:00

5:03:08

6:07:04

7:10:08

Flush

14

Standard Material

Hold/Extend

<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>
0-06	-	-	-

E6



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	8-00-00	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	2-04-00	0-00				
F	Pad	2x6 SPF No.2	2	6-00	0-00				
G	Window Sill	2x6 SPF No.2	1	2-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	3	3-02-14	0-00				
I	Stud	2x6 SPF Stud	5	8-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Filler Bottom Nailer	2x6 SPF No.2	2	6-00	0-00				
N	Filler Top Nailer	2x6 SPF No.2	2	6-00	0-00				
O	Filler Bottom Nailer	2x6 SPF No.2	1	2-01-00	0-00				





Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
152Weight
395.00 lbProduction Notes:

Square: 13-06-15

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	5-10

E3



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	10-02-06	0-00				
B	Top Plate	2x6 SPF No.2	1	10-02-06	0-00				
C	King Stud	2x6 SPF Stud	3	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	6-04-00	0-00				
F	Pad	2x6 SPF No.2	3	8-00	0-00				
G	Window Sill	2x6 SPF No.2	1	6-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	6	1-02-14	0-00				
I	Stud	2x6 SPF Stud	3	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	2-08-00				
O	Filler Top Nailer	2x6 SPF No.2	6	8-00	0-00				
P	Filler Bottom Nailer	2x6 SPF No.2	1	6-01-00	0-00				




Stud Spacing
1-04-00

BF
95


Weight
255.00 lb

Production Notes:

Square: 11-02-02



38 5/8" x 82 1/2"

SheathingStandard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E2



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	6-08-00	0-00				
B	Top Plate	2x6 SPF No.2	1	6-08-00	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	3-05-10	0-00				
F	Stud	2x6 SPF Stud	2	8-08-10	0-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	6-08-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	6-08-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	6-08-00				
J	Block	2x6 SPF No.2	2	1-04-03	0-00				
K	Filler Cripple	2x6 SPF No.2	4	11-06	0-00				
L	Filler Bottom Nailer	2x6 SPF No.2	1	3-02-10	0-00				
M	Filler Top Nailer	2x6 SPF No.2	1	3-02-10	0-00				



Stud Spacing
1-04-00

BF
44


Weight
132.00 lb

Production Notes:

Square: 9-07-11

3-06-06

ROOM




3-06-06

O/A FRAMING

Flush

Extend: 5-08



E11

Sheathing

Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I	B	L	R
0-06	-	-	5-10

E10



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	3-06-06	0-00				
B	Top Plate	2x6 SPF No.2	1	3-06-06	0-00				
C	Stud	2x6 SPF Stud	4	8-08-10	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				





Stud Spacing
1-04-00

BF
188

Weight
455.00 lb

Production Notes:
Router beampocket

Square: 13-11-04

**Sheathing**Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E1



Level: 1st Floor

Bundle: 1 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	10-08-00	0-00				
B	Top Plate	2x6 SPF No.2	1	10-03-08	0-00				
C	King Stud	2x6 SPF Stud	5	8-08-10	0-00				
D	Jack Stud	2x6 SPF Stud	3	8-00-06	0-00				
E	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
F	Header	2x10 SPF No.2	2	6-04-00	0-00				
G	Pad	2x6 SPF No.2	3	8-00	0-00				
H	Window Sill	2x6 SPF No.2	1	6-01-00	0-00				
I	Sill Cripple	2x6 SPF No.2	6	1-02-14	0-00				
J	Stud	2x6 SPF Stud	2	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	2-08-00				
P	Filler Top Nailer	2x6 SPF No.2	6	8-00	0-00				
Q	Filler Bottom Nailer	2x6 SPF No.2	1	6-01-00	0-00				


Level: 1st Floor

Bundle: 2 exterior


<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>
1-04-00	159	449.00 lb	

Square: 14-11-12

ROOM



O/A FRAMING



Sheathing

Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

<u>I</u>	<u>B</u>	<u>L</u>	R
0-06	-	-	-

E8



Level: 1st Floor

Bundle: 2 exterior

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	12-00-00	0-00				
C	Stud	2x6 SPF Stud	12	8-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	3	8-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				




Stud Spacing
1-04-00

BF
164


Weight
438.00 lb

Production Notes:

Square: 14-11-12



25"x49"

SheathingStandard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E9



Level: 1st Floor

Bundle: 2 exterior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	12-00-00	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	2-04-00	0-00				
F	Pad	2x6 SPF No.2	2	6-00	0-00				
G	Window Sill	2x6 SPF No.2	1	2-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	3	3-02-14	0-00				
I	Stud	2x6 SPF Stud	7	8-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				
P	Filler Top Nailer	2x6 SPF No.2	2	6-00	0-00				
Q	Filler Bottom Nailer	2x6 SPF No.2	2	6-00	0-00				
R	Filler Bottom Nailer	2x6 SPF No.2	1	2-01-00	0-00				





Stud Spacing
1-04-00

BF
190

Weight
491.00 lb

Production Notes:

11-06-08 Square: 14-11-12 ROOM

**Sheathing****Standard Material**

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E11



Level: 1st Floor

Bundle: 2 exterior

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	12-00-00	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	4	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	4-07-00	0-00				
F	Pad	2x6 SPF No.2	2	8-00	0-00				
G	Window Sill	2x6 SPF No.2	1	4-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	5	3-02-14	0-00				
I	Stud	2x6 SPF Stud	6	8-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				
P	Filler Bottom Nailer	2x6 SPF No.2	2	8-00	0-00				
Q	Filler Top Nailer	2x6 SPF No.2	2	8-00	0-00				
R	Filler Bottom Nailer	2x6 SPF No.2	1	4-01-00	0-00				



Level: 1st Floor


Bundle: 2 exterior

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
141Weight
417.00 lbProduction Notes:


Square: 14-11-12

ROOM



12-00-00

O/A FRAMING

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	-

E12



Level: 1st Floor

Bundle: 2 exterior

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	12-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	12-00-00	0-00				
C	Stud	2x6 SPF Stud	10	8-08-10	0-00				
D	Flat Stud	2x6 SPF Stud	3	8-08-10	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-00-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	4-00-00				





Stud Spacing
1-04-00

BF
182

Weight
460.00 lb

Production Notes:

Square: 13-11-04



Sheathing

Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E13



Level: 1st Floor

Bundle: 2 exterior


Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	10-08-00	0-00				
B	Top Plate	2x6 SPF No.2	1	10-08-00	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	2	7-11-06	0-00				
E	Header	2x10 SPF No.2	2	3-05-10	0-00				
F	Stud	2x6 SPF Stud	9	8-08-10	0-00				
G	Flat Stud	2x4 SPF Stud	1	8-08-10	0-00				
H	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-08-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	2-08-00				
N	Block	2x6 SPF No.2	1	6-14	0-00				
O	Block	2x4 SPF No.2	1	9-03	0-00				
P	Filler Cripple	2x6 SPF No.2	5	11-06	0-00				
Q	Filler Bottom Nailer	2x6 SPF No.2	1	3-02-10	0-00				
R	Filler Top Nailer	2x6 SPF No.2	1	3-02-10	0-00				

Level: 1st Floor


Bundle: 2 exterior

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>
1-04-00	176	439.00 lb	

Square: 13-03-14



73"x73"



Sheathing

Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

<u>I</u>	<u>B</u>	<u>L</u>	R
0-06	-	-	5-12

E14



Level: 1st Floor

Bundle: 2 exterior

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2	1	9-10-04	0-00				
B	Top Plate	2x6 SPF No.2	1	9-10-04	0-00				
C	King Stud	2x6 SPF Stud	2	8-08-10	0-00				
D	Jack Stud	2x6 SPF No.2	4	7-11-06	0-00				
E	Header	2x10 SPF No.2	3	6-07-00	0-00				
F	Pad	2x6 SPF No.2	4	8-00	0-00				
G	Window Sill	2x6 SPF No.2	1	6-01-00	0-00				
H	Sill Cripple	2x6 SPF No.2	6	1-02-14	0-00				
I	Stud	2x6 SPF Stud	4	8-08-10	0-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	8-00-00				
K	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
L	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-04-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-04-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	1-00-00	2-04-00				
O	Filler Top Nailer	2x6 SPF No.2	3	8-00	0-00				
P	Filler Bottom Nailer	2x6 SPF No.2	1	6-01-00	0-00				
Q	Filler Bottom Nailer	2x6 SPF No.2	2	8-00	0-00				

Level: 1st Floor


Bundle: 3 interior

Stud Spacing
1-04-00

BF
126

Weight
206.00 lb

Production Notes:
Plate poly required.





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	11-09-06	0-00				
B	Top Plate	2x4 SPF No.2	1	11-09-06	0-00				
C	VTP	2x4 SPF No.2	1	5-06-05	0-00				
D	VTP	2x4 SPF No.2	1	6-01-05	0-00				
E	King Stud	2x4 SPF Stud	4	8-08-10	0-00				
F	Jack Stud	2x4 SPF No.2	4	8-08-10	0-00				
G	Header Cripple	2x4 SPF No.2	4	1-10-02	0-00				
H	Stud	2x4 SPF Stud	3	8-08-10	0-00				
I	Flat Stud	2x4 SPF Stud	1	8-08-10	0-00				
J	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
K	Filler Cripple	2x4 SPF No.2	6	1-10-02	0-00				
L	Header Bottom Nailer	2x4 SPF No.2	2	4-02-00	0-00				





Stud Spacing
1-04-00

BF
149

Weight
243.00 lb

Production Notes:
Plate poly required.

Square: 15-07-07





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	12-09-07	0-00				
B	Top Plate	2x4 SPF No.2	1	12-09-07	0-00				
C	VTP	2x4 SPF No.2	1	2-01-06	0-00				
D	VTP	2x4 SPF No.2	1	3-05-06	0-00				
E	VTP	2x4 SPF No.2	1	4-11-13	0-00				
F	King Stud	2x4 SPF Stud	6	8-08-10	0-00				
G	Jack Stud	2x4 SPF No.2	4	8-08-10	0-00				
H	Header Cripple	2x4 SPF No.2	4	1-10-02	0-00				
I	Stud	2x4 SPF Stud	6	8-08-10	0-00				
J	Flat Stud	2x4 SPF Stud	2	8-08-10	0-00				
K	Filler Cripple	2x4 SPF No.2	4	1-10-02	0-00				
L	Header Bottom Nailer	2x4 SPF No.2	2	2-10-00	0-00				




Stud Spacing
1-04-00

BF
85

Weight
139.00 lb

Production Notes:
Plate poly required.

Square: 12-00-07





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	8-00-05	0-00				
B	Top Plate	2x4 SPF No.2	1	8-00-05	0-00				
C	VTP	2x4 SPF No.2	1	2-05-13	0-00				
D	VTP	2x4 SPF No.2	1	2-10-06	0-00				
E	VTP	2x4 SPF No.2	1	3-04-14	0-00				
F	Stud	2x4 SPF Stud	8	8-08-10	0-00				
G	Flat Stud	2x6 SPF Stud	2	8-08-10	0-00				





Stud Spacing
1-04-00

BF
25

Weight
39.00 lb

Production Notes:
Plate poly required.

Square: 9-03-12





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	2-06-00	0-00				
B	Top Plate	2x4 SPF No.2	1	2-06-00	0-00				
C	VTP	2x4 SPF No.2	1	3-02-12	0-00				
D	Stud	2x4 SPF Stud	3	8-08-10	0-00				




Stud Spacing
1-04-00

BF
119

Weight
193.00 lb

Production Notes:
Plate poly required.





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x4 SPF No.2	1	10-08-06	0-00				
B	Top Plate	2x4 SPF No.2	1	10-08-06	0-00				
C	VTP	2x4 SPF No.2	1	5-07-04	0-00				
D	VTP	2x4 SPF No.2	1	5-06-06	0-00				
E	King Stud	2x4 SPF Stud	4	8-08-10	0-00				
F	Jack Stud	2x4 SPF No.2	4	8-08-10	0-00				
G	Header Cripple	2x4 SPF No.2	4	1-10-02	0-00				
H	Stud	2x4 SPF Stud	3	8-08-10	0-00				
I	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
J	Filler Cripple	2x4 SPF No.2	6	1-10-02	0-00				
K	Header Bottom Nailer	2x4 SPF No.2	2	4-02-00	0-00				




Stud Spacing
1-04-00

BF
84

Weight
137.00 lb

Production Notes:
Plate poly required.

Square: 13-11-08





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	10-08-06	0-00				
B	Top Plate	2x4 SPF No.2	1	10-08-06	0-00				
C	VTP	2x4 SPF No.2	1	11-05-04	0-00				
D	Stud	2x4 SPF Stud	10	8-08-10	0-00				




Stud Spacing
1-04-00

BF
84

Weight
136.00 lb

Production Notes:
Plate poly required.

Square: 13-11-08





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	10-08-06	0-00				
B	Top Plate	2x4 SPF No.2	1	10-08-06	0-00				
C	VTP	2x4 SPF No.2	1	10-11-12	0-00				
D	Stud	2x4 SPF Stud	10	8-08-10	0-00				




Stud Spacing
1-04-00

BF
64

Weight
104.00 lb

Production Notes:
Plate poly required.





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x4 SPF No.2	1	5-01-08	0-00	\45.00	\45.00		
B	Top Plate	2x4 SPF No.2	1	5-01-08	0-00	\45.00	\45.00		
C	VTP	2x4 SPF No.2	1	5-01-08	0-00	\45.00	\45.00		
D	King Stud	2x4 SPF Stud	2	8-08-10	0-00				
E	Jack Stud	2x4 SPF No.2	2	8-08-10	0-00				
F	Header Cripple	2x4 SPF No.2	2	1-10-02	0-00				
G	Stud	2x4 SPF Stud	2	8-08-10	0-00				
H	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				
I	Filler Cripple	2x4 SPF No.2	2	1-10-02	0-00				
J	Header Bottom Nailer	2x4 SPF No.2	1	2-10-00	0-00				




Stud Spacing
1-04-00

BF
30

Weight
48.00 lb

Production Notes:
Plate poly required.

Square: 9-02-08





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	2-01-00	0-00				
B	Top Plate	2x4 SPF No.2	1	2-01-00	0-00				
C	VTP	2x4 SPF No.2	1	2-07-12	0-00				
D	Stud	2x4 SPF Stud	4	8-08-10	0-00				




Stud Spacing
1-04-00

BF
24

Weight
38.00 lb

Production Notes:
Plate poly required.

Square: 9-02-08





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	2-01-00	0-00				
B	Top Plate	2x4 SPF No.2	1	2-01-00	0-00				
C	VTP	2x4 SPF No.2	1	2-07-12	0-00				
D	Stud	2x4 SPF Stud	3	8-08-10	0-00				




Stud Spacing
1-04-00

BF
81

Weight
133.00 lb

Production Notes:
Plate poly required.





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	8-03-07	0-00	\45.00			
B	Top Plate	2x4 SPF No.2	1	8-03-07	0-00	\45.00			
C	VTP	2x4 SPF No.2	1	5-08-00	0-00	\45.00			
D	VTP	2x4 SPF No.2	1	2-03-13	0-00				
E	Stud	2x4 SPF Stud	8	8-08-10	0-00				
F	Flat Stud	2x4 SPF Stud	1	8-08-10	0-00				
G	Flat Stud	2x6 SPF Stud	1	8-08-10	0-00				




Stud Spacing
1-04-00

BF
36

Weight
58.00 lb

Production Notes:
Plate poly required.

Square: 9-03-12





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	2-06-00	0-00				
B	Top Plate	2x4 SPF No.2	1	2-06-00	0-00				
C	VTP	2x4 SPF No.2	1	2-05-12	0-00				
D	Stud	2x4 SPF Stud	4	8-08-10	0-00				
E	Flat Stud	2x4 SPF Stud	1	8-08-10	0-00				




Stud Spacing
1-04-00

BF
41

Weight
67.00 lb

Production Notes:
Plate poly required.

Square: 10-03-04





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	5-00-00	0-00				
B	Top Plate	2x4 SPF No.2	1	5-00-00	0-00				
C	VTP	2x4 SPF No.2	1	5-03-04	0-00				
D	Stud	2x4 SPF Stud	5	8-08-10	0-00				




Stud Spacing
1-04-00

BF
51

Weight
76.00 lb

Production Notes:
Plate poly required.





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	5-08-08	0-00				
B	Top Plate	2x4 SPF No.2	1	5-08-08	0-00				
C	VTP	2x4 SPF No.2	1	5-04-14	0-00				
D	King Stud	1/2 x 3 1/2 Filler	2	8-08-10	0-00				
E	Jack Stud	2x4 SPF No.2	4	8-08-10	0-00				
F	Header Cripple	2x4 SPF No.2	2	1-07-10	0-00				
G	Filler Cripple	2x4 SPF No.2	4	1-07-10	0-00				
H	Header Bottom Nailer	2x4 SPF No.2	1	5-01-08	0-00				




Stud Spacing
1-04-00

BF
78

Weight
127.00 lb

Production Notes:
Plate poly required.

Square: 13-11-08





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	10-08-06	0-00				
B	Top Plate	2x4 SPF No.2	1	10-08-06	0-00				
C	VTP	2x4 SPF No.2	1	11-05-04	0-00				
D	Stud	2x4 SPF Stud	9	8-08-10	0-00				




Stud Spacing
1-04-00

BF
74

Weight
123.00 lb

Production Notes:
Plate poly required.

Square: 13-01-02





Level: 1st Floor

Bundle: 3 interior

Date: 05/11/2018 08:07:33

<u>Lbl</u>	<u>Member</u>	<u>Material</u>	<u>Qty</u>	<u>Length</u>	<u>Width</u>	<u>Miter</u>		<u>Bevel</u>	
						<u>L</u>	<u>R</u>	<u>L</u>	<u>R</u>
A	Bottom Plate	2x4 SPF No.2	1	9-06-07	0-00				
B	Top Plate	2x4 SPF No.2	1	9-06-07	0-00				
C	VTP	2x4 SPF No.2	1	9-11-13	0-00				
D	Stud	2x4 SPF Stud	9	8-08-10	0-00				




Stud Spacing
1-04-00

BF
113

Weight
320.00 lb

Production Notes:

Square: 12-09-14

SheathingStandard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I	B	L	R
0-06	-	-	-

E15



Level: 1st Floor

Bundle: 4 garage

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	8-00-00	0-00				
C	King Stud	2x6 SPF Stud	2	9-09-04	0-00				
D	Jack Stud	2x6 SPF No.2	2	9-00-00	0-00				
E	Header	2x10 SPF No.2	2	3-05-10	0-00				
F	Stud	2x6 SPF Stud	4	9-09-04	0-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	8-00-00				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
I	Block	2x6 SPF No.2	1	5-12	0-00				
J	Block	2x6 SPF No.2	1	11-06	0-00				
K	Block	2x6 SPF No.2	1	1-02-08	0-00				
L	Block	2x6 SPF No.2	1	1-01-12	0-00				




Level: 1st Floor

Bundle: 4 garage

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
98Weight
297.00 lbProduction Notes:

Square: 12-09-13

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	5-10

E16



Level: 1st Floor

Bundle: 4 garage

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	7-11-15	0-00				
B	Top Plate	2x6 SPF No.2	1	7-11-15	0-00				
C	Stud	2x6 SPF Stud	7	9-09-04	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	6-08-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	6-08-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	6-08-00				
G	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	1-09-09				
H	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	1-09-09				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	1-09-09				
J	Block	2x6 SPF No.2	1	1-01-12	0-00				
K	Block	2x6 SPF No.2	4	1-02-08	0-00				
L	Block	2x6 SPF No.2	1	1-01-11	0-00				





Level: 1st Floor

Bundle: 4 garage

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
107Weight
307.00 lbProduction Notes:

Square: 12-09-14

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	-

E17



Level: 1st Floor

Bundle: 4 garage

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	8-00-00	0-00				
C	Stud	2x6 SPF Stud	7	9-09-04	0-00				
D	Flat Stud	2x6 SPF Stud	1	9-09-04	0-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	8-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
G	Block	2x6 SPF No.2	1	8-04	0-00				
H	Block	2x6 SPF No.2	4	1-02-08	0-00				
I	Block	2x6 SPF No.2	1	1-01-12	0-00				




Stud Spacing
1-04-00

BF
151


Weight
369.00 lb

Production Notes:

Square: 12-09-14



49"x49"



Sheathing

Standard Material

7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)

Hold/Extend

I B L R
0-06 - - -

E18



Level: 1st Floor

Bundle: 4 garage

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	8-00-00	0-00				
B	Top Plate	2x6 SPF No.2	1	8-00-00	0-00				
C	King Stud	2x6 SPF Stud	2	9-09-04	0-00				
D	Jack Stud	2x6 SPF No.2	2	9-00-00	0-00				
E	Header	2x10 SPF No.2	2	4-04-00	0-00				
F	Window Sill	2x6 SPF No.2	1	4-01-00	0-00				
G	Sill Cripple	2x6 SPF No.2	5	2-03-04	0-00				
H	Stud	2x6 SPF Stud	3	9-09-04	0-00				
I	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	8-00-00				
J	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	2	4-00-00	8-00-00				
K	Block	2x6 SPF No.2	1	1-01-12	0-00				
L	Block	2x6 SPF No.2	1	9-12	0-00				
M	Block	2x6 SPF No.2	1	1-01-00	0-00				
N	Filler Cripple	2x6 SPF No.2	5	2-03-04	0-00				
O	Filler Bottom Nailer	2x6 SPF No.2	1	4-01-00	0-00				
P	Filler Top Nailer	2x6 SPF No.2	1	4-01-00	0-00				





Level: 1st Floor

Bundle: 4 garage

Date: 05/11/2018 08:07:33

Stud Spacing
1-04-00BF
67Weight
189.00 lbProduction Notes:

Square: 11-00-00

SheathingStandard Material7/16" OSB (APA Rated Sheathing
24/16 Exposure 1)Hold/Extend

I	B	L	R
0-06	-	-	5-10

E19



Level: 1st Floor

Bundle: 4 garage

Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	4-06-06	0-00				
B	Top Plate	2x6 SPF No.2	1	4-06-06	0-00				
C	Stud	2x6 SPF Stud	5	9-09-04	0-00				
D	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	5-00-00				
E	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	5-00-00				
F	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	5-00-00				
G	Block	2x6 SPF No.2	1	1-01-12	0-00				
H	Block	2x6 SPF No.2	2	1-02-08	0-00				
I	Block	2x6 SPF No.2	1	4-02	0-00				

Do NOT router top 3ft of rough openings. They will frame down ROs on site to suit slab elevation.



GAR9-0x8-0

38 5/8" x 82 1/2"



Lbl	Member	Material	Qty	Length	Width	Miter		Bevel	
						L	R	L	R
A	Bottom Plate	2x6 SPF No.2 Press. Treated	1	2-06-00	0-00				
B	Bottom Plate	2x6 SPF No.2 Press. Treated	1	4-11-07	0-00				
C	Top Plate	2x6 SPF No.2	1	2-03-00	0-00				
D	Top Plate	2x6 SPF No.2	1	9-06-00	0-00				
E	Top Plate	2x6 SPF No.2	1	4-08-07	0-00				
F	King Stud	2x6 SPF Stud	4	9-09-04	0-00				
G	Jack Stud	2x6 SPF No.2	4	8-11-12	0-00				
H	Jack Stud	2x6 SPF No.2	2	9-00-00	0-00				
I	Header	1-3/4X9-1/2 LP-LVL 2900Fb-2.0E	2	9-06-00	0-00				
J	Header	2x10 SPF No.2	2	3-05-10	0-00				
K	Stud	2x6 SPF Stud	3	9-09-04	0-00				
L	Flat Stud	2x6 SPF Stud	1	9-09-04	0-00				
M	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-06-00				
N	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	2-06-00				
O	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	2-06-00				
P	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	11-06	8-00-00				
Q	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	11-06	1-00-00				
R	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-11-07				
S	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	4-00-00	4-11-07				
T	Sheathing	7/16" OSB (APA Rated Sheathing 24/16 Exposure 1)	1	2-00-10	4-11-07				
U	Block	2x6 SPF No.2	1	8-04	0-00				
V	Block	2x6 SPF No.2	1	8-12	0-00				
W	Block	2x6 SPF No.2	1	3-03	0-00				
X	Block	2x6 SPF No.2	1	5-10	0-00				