


Panel #EX31 Length: 16' 0" Height: 12' 1-1/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 19' 11-3/4"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 16' 0" Bottom Plates: 2x SPF-PT 16' 0"
 Studs: (6) 2x8 SPF #2 11' 8-5/8"


Components & Subcomponents	Start	End
W 13 HDR1 (8' 0")	2' 1"	5' 11-1/2"
W 12 HDR1 (8' 0")	8' 11-1/2"	13' 11-1/2"
Exterior Sheathing: 7/16 OSB (12)	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 4' 0", 8' 0"		

Panel #EX32 Length: 7' 4-1/4" Height: 12' 1-1/8" First Stud Face @6' 5-1/4" (1' 4" o.c.) Diagonal: 14' 0-9/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 7' 4-1/4" Bottom Plates: 2x SPF-PT 7' 4-1/4"
 Studs: (2) 2x8 SPF #2 11' 8-5/8"


Components & Subcomponents	Start	End
W 11 HDR1 (8' 0")	11'-1/2"	5' 10"
(1) 2x8 SPF #2	6' 5-1/4"	6' 6-3/4"
Exterior Sheathing: 1/2" - 4' 0"x12' 0"	7/16 OSB (12)	Start: Flush End: Fly 7-1/4"
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 4' 0", 8' 0"		

Panel #EX38 Length: 7' 11-9/16" Height: 12' 1-1/8" First Stud Face @5' 3-1/4" (1' 4" o.c.) Diagonal: 14' 4-1/2"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 7' 11-9/16" Bottom Plates: 2x SPF-PT 7' 11-9/16"
 Studs: (3) 2x8 SPF #2 11' 8-5/8"

Components & Subcomponents	Start	End
W 6 HDR1 (8' 0")	1-1/2"	5' 0"
Custom	7' 8-9/16"	@ End
Exterior Sheathing: 7/16 OSB (12)	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 4' 0", 8' 0"		


Panel #EX34 Length: 9' 5-1/2" Height: 12' 1-1/8" Diagonal: 15' 3-1/16"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 9' 5-1/2" Bottom Plates: 2x SPF-PT 9' 5-1/2"

Components & Subcomponents	Start	End
Custom (2x4 Dn)	@ Start	5"
W 9 HDR1 W 10 (8' 0")	5-1/4"	9' 5-1/4"
Exterior Sheathing: 7/16 OSB (12)	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 4' 0", 8' 0"		


QR Pin

Panel #EX35 Length: 11' 1" Height: 12' 1-1/8" Diagonal: 16' 3-3/4"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 1" Bottom Plates: 2x SPF-PT 11' 1"

Components & Subcomponents	Start	End
013 (6' 8-3/4")	@ Start	11' 0-3/4"
Exterior Sheathing: 7/16 OSB (12) Fastener: 8d	Start: Flush Spacing: 6" / 1' 0"	End: Flush
Blocking & Letin		
2x DF Inline At: 4' 0", 8' 0"		


Panel #EX37 Length: 15' 4-3/4" Height: 12' 1-1/8" First Stud Face @1' 0" (1' 4" o.c.) Diagonal: 19' 6"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 15' 4-3/4" Bottom Plates: 2x SPF-PT 15' 4-3/4"
Studs: (8) 2x8 SPF #2 11' 8-5/8"

Components & Subcomponents	Start	End
Custom	@ Start	3"
(1) 2x8 SPF #2	1' 0"	1' 1-1/2"
014 HDR1 (6' 10-1/2")	2' 10-1/2"	6' 11"
Exterior Sheathing: 7/16 OSB (12)	Start: Fly 7-1/4"	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	


Panel #EX6 Length: 16' 0" Height: 9' 1-1/8" First Stud Face @2' 2-1/4" (1' 4" o.c.) Diagonal: 18' 4-1/8"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 16' 0" Bottom Plates: 2x SPF-PT 16' 0"
Studs: (4) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
Custom	9-3/4"	1' 0-3/4"
Custom	1' 0-3/4"	1' 3-3/4"
(1) 2x8 SPF #2	2' 2-1/4"	2' 3-3/4"
Custom (2x8 Up)	2' 9-7/8"	3' 8-1/8"
W 15 HDR2 (7' 11-3/8")	4' 4-1/2"	11' 5-1/4"
Custom	15' 9"	@ End

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Flush

End: Flush


Spacing: 6" / 1' 0"

Panel #EX5 Length: 11' 0-1/4" Height: 9' 1-1/8" First Stud Face @2' 2-1/4" (1' 4" o.c.) Diagonal: 14' 2-1/2"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 0-1/4" Bottom Plates: 2x SPF-PT 11' 0-1/4"
Studs: (4) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
Custom (2x8 Dn)	1' 0-1/8"	1' 8-7/8"
(1) 2x8 SPF #2	2' 2-1/4"	2' 3-3/4"
4S	3' 1-1/8"	3' 7-1/8"
Custom	3' 10-1/2"	4' 1-1/2"
Custom	5' 4"	5' 7"
Custom	5' 7"	5' 10"
5S	7' 4-1/4"	7' 11-3/4"

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Flush

End: Flush

Spacing: 6" / 1' 0"

QR Pin

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Flush

End: Flush

Spacing: 6" / 1' 0"


Panel #EX3 Length: 11' 4-3/4" Height: 9' 1-1/8" First Stud Face @1' 9-1/4" (1' 4" o.c.) Diagonal: 14' 6"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 4-3/4" Bottom Plates: 2x SPF-PT 11' 4-3/4"

Studs: (3) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
Custom (2x8 Dn)	4-1/8"	1' 0-7/8"
(1) 2x8 SPF #2	1' 9-1/4"	1' 10-3/4"
Custom	2' 10-3/4"	3' 1-3/4"
Custom	3' 1-3/4"	3' 4-3/4"
Custom (2x8 Dn)	4' 9-5/8"	5' 6-3/8"
W 17 HDR1 (8' 1-3/8")	6' 0-1/2"	10' 11"

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Flush

End: Fly 7-1/4"


Spacing: 6" / 1' 0"

Panel #EX2 Length: 16' 0" Height: 9' 1-1/8" First Stud Face @1' 4-3/4" (1' 4" o.c.) Diagonal: 18' 4-1/8"
IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 16' 0" Bottom Plates: 2x SPF-PT 16' 0"
Studs: (4) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
(1) 2x8 SPF #2	1' 4-3/4"	1' 6-1/4"
Custom (2x8 Dn)	1' 9-5/8"	2' 6-3/8"
W 19 HDR1 (8' 1-3/8")	3' 6-1/2"	7' 6-1/2"
Custom	8' 1-1/4"	8' 4-1/4"
Custom	8' 4-1/4"	8' 7-1/4"
W 18 HDR1 (8' 1-3/8")	11' 4"	15' 4"

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Flush

End: Flush

Spacing: 6" / 1' 0"


Panel #EX1 Length: 11' 4-3/4" Height: 9' 1-1/8" First Stud Face @1' 2" (1' 4" o.c.) Diagonal: 14' 6"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 4-3/4" Bottom Plates: 2x SPF-PT 11' 4-3/4"
Studs: (4) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
(1) 2x8 SPF #2	1' 2"	1' 3-1/2"
Custom	2' 2-1/2"	2' 5-1/2"
Custom	2' 5-1/2"	2' 8-1/2"
W 20 HDR1 (8' 1-3/8")	4' 9-3/4"	8' 8-1/4"
Custom	8' 8-1/4"	8' 11-1/4"
Custom	8' 11-1/4"	9' 2-1/4"

Exterior Sheathing: 7/16 OSB (9)

Fastener: 8d

Start: Fly 7-1/4"

End: Flush


Spacing: 6" / 1' 0"

Panel #EX19 Length: 11' 6-1/4" Height: 9' 1-1/8" First Stud @1' 3-1/4" (1' 4" o.c.) Diagonal: 14' 7-3/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 6-1/4" Bottom Plates: 2x SPF-PT 11' 6-1/4"
Studs: (6) 2x8 SPF #2 8' 8-5/8"

Components & Subcomponents	Start	End
Custom	@ Start	3"
4S	3' 11-1/8"	4' 5-1/8"
(1) 2x8 SPF #2	5' 1-1/4"	5' 2-3/4"
Custom (2x8 Dn)	5' 11-3/8"	6' 8-1/8"
Exterior Sheathing: 7/16 OSB (9)	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	


Panel #EX29 Length: 8' 0" Height: 15' 11-5/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 17' 10-5/16"

IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

**RICHARD
THE 2 STUDS THAT OVERLAP HAVE TO BE:
SYP#2**



Top Plates: 2x DF 8' 0" Bottom Plates: 2x SPF-PT 8' 0"

 Studs: (6) 2x8 SPF #2 15' 8-5/8"

Components & Subcomponents	Start	End
Custom	3' 11-1/4"	4' 2-1/4"
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	

QR Pin


Panel #EX27 Length: 11' 4-3/4" Height: 16' 1-1/8" First Stud Face @10" (1' 4" o.c.) Diagonal: 19' 7-7/16"

IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

**RICHARD
THE 2 STUDS THAT OVERLAP HAVE TO BE:
SYP#2**



Top Plates: 2x DF 11' 4-3/4" Bottom Plates: 2x SPF-PT 11' 4-3/4"

 Studs: (8) 2x8 SPF #2 15' 8-5/8"

Components & Subcomponents	Start	End
(1) 2x8 SPF #2	10"	11'-1/2"
Custom	7' 2-1/2"	7' 5-1/2"
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Fly 7-1/4"	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	

Blocking & Letin


2x DF Inline At: 6' 0", 12' 0"

Panel #EX21 Length: 9' 9" Height: 16' 1-1/8" First Stud Face @1' 2-15/16" (1' 4" o.c.) Diagonal: 18' 8-1/2"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 9' 9" Bottom Plates: 2x SPF-PT 9' 9"
 Studs: (5) 2x8 SPF #2 15' 8-5/8"

Components & Subcomponents	Start	End
007 HDR1 (6' 10-1/2")	1' 11-1/2"	6' 0"
(1) 2x8 SPF #2	8' 9-15/16"	8' 11-7/16"
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Fly 5/16"	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		


QR Pin

Panel #EX22 Length: 12' 0" Height: 16' 1-1/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 19' 11-11/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

**RICHARD
THE 2 STUDS THAT OVERLAP HAVE TO BE:
SYP#2**



Top Plates: 2x DF 12' 0" Bottom Plates: 2x SPF-PT 12' 0"
 Studs: (9) 2x8 SPF #2 15' 8-5/8"


Components & Subcomponents	Start	End
Custom	3' 9-3/4"	4' 0-3/4"
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	

Panel #EX23 Length: 10' 5-1/2" Height: 16' 1-1/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 19' 1-1/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 10' 5-1/2" Bottom Plates: 2x SPF-PT 10' 5-1/2"
 Studs: (9) 2x8 SPF #2 15' 8-5/8"

Exterior Sheathing: 7/16" - 4' 0"x16' 0" Start: Flush End: Flush
Fastener: 8d Spacing: 6" / 1' 0"

Blocking & Letin

2x DF Inline At: 6' 0", 12' 0"


QR Pin

Panel #EX24 Length: 7' 4-3/4" Height: 16' 1-1/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 17' 7-3/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 7' 4-3/4" Bottom Plates: 2x SPF-PT 7' 4-3/4"
 Studs: (5) 2x8 SPF #2 15' 8-5/8"


Components & Subcomponents	Start	End
Custom	@ Start	3"
(1) 2x8 SPF #2	6' 5-1/4"	6' 6-3/4"
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Flush	End: Fly 7-1/4"
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

QR Pin

IMPORTANT:

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 8' 0"
Studs: (7) 2x8 SPF #2 17' 10-3/8"

Bottom Plates: 2x SPF-PT 8' 0"

Exterior Sheathing: 7/16" - 4' 0"x19' 0" Start: Flush End: Flush
Fastener: 8d Spacing: 6" / 1' 0"

Blocking & Letin

2x DF Inline At: 6' 0", 12' 0"


QR Pin

Panel #EX10 Length: 12' 0" Height: 18' 2-7/8" First Stud Face @1' 4-1/4" (1' 4" o.c.) Diagonal: 21' 8-3/4"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 12' 0" Bottom Plates: 2x SPF-PT 12' 0"
 Studs: (2) 2x8 SPF #2 17' 10-3/8"

Components & Subcomponents	Start	End
Custom (2x8 Dn)	@ Start	8-3/4"
(1) 2x8 SPF #2	1' 4-1/4"	1' 5-3/4"
W 4 HDR2 (8' 0")	3' 0"	11' 0"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	


QR Pin

Panel #EX8 Length: 10' 2-1/2" Height: 18' 2-7/8" Diagonal: 20' 9-1/2"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 10' 2-1/2" Bottom Plates: 2x SPF-PT 10' 2-1/2"
Studs: 2x8 SPF #2 17' 10-3/8"

Components & Subcomponents	Start	End
W 14 HDR2 (8' 0")	@ Start	9' 0"
Custom (2x4 Up)	9' 0"	9' 5"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		


Panel #EX7 Length: 7' 9-1/4" Height: 18' 2-7/8" Diagonal: 19' 8-9/16"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 7' 9-1/4" Bottom Plates: 2x SPF-PT 7' 9-1/4"

Studs: 2x8 SPF #2 17' 10-3/8"


Components & Subcomponents	Start	End
012 HDR2 (7' 2-1/2")	@ Start	7' 4"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

Panel #EX12 Length: 8' 0" Height: 18' 1-3/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 19' 9-5/8"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 8' 0" Bottom Plates: 2x SPF-PT 8' 0"
 Studs: (7) 2x8 SPF #2 17' 10-3/8"

Exterior Sheathing: 7/16" - 4' 0"x19' 0" Start: Flush End: Flush
Fastener: 8d Spacing: 6" / 1' 0"

Blocking & Letin


2x DF Inline At: 6' 0", 12' 0"

Panel #EX13 Length: 11' 4-3/4" Height: 18' 2-7/8" First Stud Face @10' 1-1/4" (1' 4" o.c.) Diagonal: 21' 4-13/16"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 11' 4-3/4" Bottom Plates: 2x SPF-PT 11' 4-3/4"
Studs: (2) 2x8 SPF #2 17' 10-3/8"


Components & Subcomponents	Start	End
W 3 HDR2 (8' 0")	1' 0"	9' 0"
(1) 2x8 SPF #2	10' 1-1/4"	10' 2-3/4"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Fly 7-1/4"
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

Panel #EX14 Length: 12' 0" Height: 18' 2'-7/8" First Stud Face @10' 9'-1/4" (1' 4" o.c.) Diagonal: 21' 8'-3/4"
IMPORTANT:

**THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.**

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD



Top Plates: 2x DF 12' 0" Bottom Plates: 2x SPF-PT 12' 0"
Studs: 2x8 SPF #2 17' 10'-3/8"

Components & Subcomponents	Start	End
Custom (8' 0'-3/8")	@ Start	4'-1/2"
001 HDR2 (7' 2'-3/4")	5"	9' 7"
Custom (8' 0'-3/8")	9' 7'-1/2"	10' 0"
(1) 2x8 SPF #2	10' 9'-1/4"	10' 10'-3/4"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	


Panel #EX15 Length: 8' 0" Height: 18' 1-3/8" Diagonal: 19' 9-5/8"

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND
IS ASKING THAT YOU DO NOT CUT THE SHEATHING
OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.


RICHARD



Top Plates: 2x DF 8' 0" Bottom Plates: 2x SPF-PT 8' 0"
 Studs: (2) 2x8 SPF #2 17' 10-3/8"

Components & Subcomponents	Start	End
W 2 HDR2 (8' 0")	4"	7' 4"
Exterior Sheathing: 7/16" - 4' 0"x19' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		


QR Pin



Top Plates: 2x DF 8' 0" Bottom Plates: 2x SPF-PT 8' 0"
Studs: (6) 2x8 SPF #2 17' 10-3/8"

Components & Subcomponents	Start	End
Custom (2x8 Up)	@ Start	8-3/4"
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

Panel #EX18 Length: 8' 5-3/4" Height: 18' 2-7/8" First Stud Face @1' 3-1/4" (1' 4" o.c.) Diagonal: 20' 0"



Top Plates: 2x DF 8' 5-3/4" Bottom Plates: 2x SPF-PT 8' 5-3/4"
Studs: (6) 2x8 SPF #2 17' 10-3/8"

Components & Subcomponents	Start	End
Custom (2x6 Dn)	7' 10-3/4"	@ End
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

RICHARD

ABOVE THE 2 CRIPPLES AFTER THE 1-9-4 SPACE, THERE NEEDS TO BE MIN 1 CRIPPLE FOR STRAP ABOVE THE 14" HEADER.

CRIPPLE SHOULD BE:
1 HEADER CRIPPLES 0'-5,1/8" 2X8 SYP #2



Top Plates: 2x DF 24' 0" Bottom Plates: 2x SPF-PT 24' 0"
Studs: (2) 2x8 SPF #2 15' 8-5/8"

Components & Subcomponents	Start	End
GARAGE 015 (2)1.75"x14" LVL (14' 0")	@ Start	21' 7-1/2"
Exterior Sheathing: 7/16" - 4' 0"x16' 0" Fastener: 8d	Start: Flush Spacing: 6" / 1' 0"	End: Flush
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		

IMPORTANT:

THE CUSTOMER WILL BE BUILDING IN WINTER AND IS ASKING THAT YOU DO NOT CUT THE SHEATHING OUT FOR THE WINDOW AND DOOR OPENINGS.

THEY WILL CUT THE SHEATHING ON SITE.

RICHARD

GARAGE 016:

THERE ARE 2 STUDS, 3 CRIPPLES, 12'-0" SPACE, THEN:


2 CRIPPLES, A 1'-9,1/4" SPACE, 3 CRIPPLES AND A 8x8 POST.

ABOVE THE 2 CRIPPLES BEFORE THE 1-9-4 SPACE, THERE NEEDS TO BE MIN 1 CRIPPLE FOR STRAP ABOVE THE 14" HEADER.

FROM THE START OF WALL, PLACE CRIPPLE @37'-1,1/2" (FACE OF STUD TO FACE OF STUD)

CRIPPLE SHOULD BE:

1 HEADER CRIPPLES 2'-5,1/8" 2X8 SYP #2



QR Pin

Top Plates: 2x DF 16' 0" Bottom Plates: 2x SPF-PT 16' 0"
Studs: 2x8 SPF #2 15' 8-5/8"

Components & Subcomponents	Start	End
GARAGE 016 (2) 1.75"x14" LVL (12' 0")	4-1/2"	@ End
Exterior Sheathing: 7/16" - 4' 0"x16' 0"	Start: Flush	End: Flush
Fastener: 8d	Spacing: 6" / 1' 0"	
Blocking & Letin		
2x DF Inline At: 6' 0", 12' 0"		