



Stud Spacing 1-04-00	BF 215	Weight 618.00 lb	Production Notes: NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
Sheathing Standard Material 7/16 4x9 OSB	Hold/Extend I 0-06	B -	L -	R -	Sheet Zone Standard	Sheathing Fasteners Fastener 8d (0.131"x2.5") nails	Edge Spacing 6-00	Field Spacing 1-00-00	Gap 6-00




Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00 0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00 0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10 0-00
D	Jack Stud	2x6 SP No.2	(4)	7-11-06 0-00
E	Header	2x10 SP No.2	(3)	4-06-00 0-00
F	Window Sill	2x6 SP No.2	(1)	4-00-00 0-00
G	Sill Cripple	2x6 SP No.2	(6)	3-05-00 0-00
H	Stud	2x6 SPF No.2	(7)	8-08-10 0-00
I	Rung	2x6 SP No.2	(4)	1-02-00 0-00
J	Rung	2x6 SP No.2	(4)	1-02-08 0-00
K	Rung	2x6 SP No.2	(4)	1-00-12 0-00
L	Critical Stud	2x6 SPF No.2	(1)	8-08-10 0-00
M	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00
N	Filler Cripple	2x6 SP No.2	(6)	1-03-06 0-00
O	Filler Bottom Nail	2x6 SP No.2	(1)	4-00-00 0-00

Stud Spacing	BF	Weight	Production Notes:						
1-04-00	204	583.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
Sheathing			Hold/Extend		Sheathing Fasteners	Edge	Field		
Standard Material			I	B	L	R	Sheet Zone	Fastener	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								Spacing	Gap
								6-00	1-00-00 6-00




Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00 0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00 0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10 0-00
D	Jack Stud	2x6 SP No.2	(4)	7-11-06 0-00
E	Header	2x10 SP No.2	(3)	4-06-00 0-00
F	Window Sill	2x6 SP No.2	(1)	4-00-00 0-00
G	Sill Cripple	2x6 SP No.2	(5)	1-05-00 0-00
H	Stud	2x6 SPF No.2	(9)	8-08-10 0-00
I	Critical Stud	2x6 SPF No.2	(1)	8-08-10 0-00
J	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00
K	Filler Cripple	2x6 SP No.2	(5)	1-03-06 0-00
L	Filler Bottom Nailer	2x6 SP No.2	(1)	4-00-00 0-00

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	110	372.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	6-00	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Spacing</u>
								6-00	1-00-00
									<u>Gap</u>
									6-00




Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	11-06-00 0-00
B	Top Plate	2x6 SP No.2	(1)	11-06-00 0-00
C	Stud	2x6 SPF No.2	(8)	8-08-10 0-00
D	Critical Stud	2x6 SPF No.2	(2)	8-08-10 0-00
E	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00

Stud Spacing	BF	Weight	Production Notes:						
1-04-00	141	430.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
Sheathing			Hold/Extend		Sheathing Fasteners	Edge	Field		
<u>Standard Material</u>		<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>
7/16 4x9 OSB		0-06	-	-	6-00	Standard	8d (0.131"x2.5") nails	6-00	1-00-00
								<u>Gap</u>	
								6-00	



Cutting List				
Lbl	Member	Description	Qty	Length
A	Bottom Plate	2x6 SP No.2 P	(1)	11-06-00
B	Top Plate	2x6 SP No.2	(1)	11-06-00
C	Stud	2x6 SPF No.2	(11)	8-08-10
D	Rung	2x6 SP No.2	(4)	1-02-08
E	Critical Stud	2x6 SPF No.2	(2)	8-08-10
F	Sheathing	7/16 4x9 OSB	(3)	9-00-00
				4-00-00

7/16 4x9 OSB




Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00	0-00
AA	Filler Cripple	2x6 SP No.2	(1)	1-04-11	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
AB	Filler Cripple	2x6 SP No.2	(1)	1-00-11	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
AC	Filler Bottom Nailor	2x6 SP No.2	(1)	3-00-00	0-00
AD	Filler Cripple	2x6 SP No.2	(1)	8-11	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
AE	Filler Cripple	2x6 SP No.2	(1)	4-11	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
AF	Filler Cripple	2x6 SP No.2	(1)	0-11	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: \14.04				
B	Top Plate	2x6 SP No.2	(1)	2-01-14	0-00
	L Miter: - R Miter: - L Bevel: /14.04 - R Bevel: /14.04				
C	Top Plate	2x6 SP No.2	(1)	10-03-05	0-00
	L Miter: - R Miter: - L Bevel: \14.04 - R Bevel: \14.04				
D	King Stud	2x6 SP No.2	(1)	11-02-03	0-00
E	King Stud	2x6 SP No.2	(1)	9-02-15	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
F	Jack Stud	2x6 SP No.2	(6)	8-07-11	0-00
G	Header	2x8 SP No.2	(3)	7-09-00	0-00
H	Window Sill	2x6 SP No.2	(2)	2-00-00	0-00
I	Window Sill	2x6 SP No.2	(1)	3-00-00	0-00
J	Sill Cripple	2x6 SP No.2	(12)	1-05-00	0-00
K	Header Cripple	2x6 SP No.2	(1)	1-11-04	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: /14.04				
L	Stud	2x6 SP No.2	(1)	10-08-09	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: \14.04				
M	Stud	2x6 SP No.2	(1)	10-09-08	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: \14.04				
N	Stud	2x6 SP No.2	(1)	11-01-08	0-00
	L Miter: - R Miter: - L Bevel: - R Bevel: \14.04				

Cutting List


Lbl	Member	Description	Qty	Length	Width
O	Stud	2x6 SP No.2	(1)	8-11-10	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: /14.04					
P	Stud	2x6 SP No.2	(1)	8-08-15	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: /14.04					
Q	Rung	2x6 SP No.2	(5)	1-02-08	0-00
R	Sheathing	7/16 4x9 OSB	(2)	9-00-00	4-00-00
S	Sheathing	7/16 4x9 OSB	(1)	2-05-07	9-00-00
T	Sheathing	7/16 4x9 OSB	(1)	8-10	2-10-08
U	Sheathing	7/16 4x9 OSB	(1)	9-00-00	3-11-08
V	Block	2x6 SP No.2	(1)	1-02-08	0-00
W	Block	2x6 SP No.2	(1)	11-12	0-00
X	Filler Cripple	2x6 SP No.2	(12)	1-11-11	0-00
Y	Filler Cripple	2x6 SP No.2	(1)	1-08-11	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: /14.04					
Z	Filler Bottom Nailer	2x6 SP No.2	(2)	2-00-00	0-00

Stud Spacing	BF	Weight	Production Notes:						
1-04-00	177	529.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
Sheathing			Hold/Extend		Sheathing Fasteners	Edge	Field		
Standard Material			I	B	L	R	Sheet Zone	Fastener	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								Spacing	Gap
								6-00	1-00-00 6-00




Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00 0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00 0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10 0-00
D	Jack Stud	2x6 SP No.2	(2)	7-11-06 0-00
E	Header	2x10 SP No.2	(3)	3-03-00 0-00
F	Window Sill	2x6 SP No.2	(1)	3-00-00 0-00
G	Sill Cripple	2x6 SP No.2	(5)	3-05-00 0-00
H	Stud	2x6 SPF No.2	(7)	8-08-10 0-00
I	Rung	2x6 SP No.2	(4)	1-00-12 0-00
J	Critical Stud	2x6 SPF No.2	(1)	8-08-10 0-00
K	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00
L	Filler Cripple	2x6 SP No.2	(5)	1-03-06 0-00
M	Filler Bottom Nailer	2x6 SP No.2	(1)	3-00-00 0-00

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>							
1-04-00	242	689.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.							
<u>Sheathing</u>			<u>Hold/Extend</u>			<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>		<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>	<u>Gap</u>
7/16 4x9 OSB		0-06	-	-	-	Standard	8d (0.131"x2.5") nails	6-00	1-00-00	6-00




Stud Spacing	BF	Weight	Production Notes:					
1-04-00	189	548.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.					
Sheathing			Hold/Extend		Sheathing Fasteners	Edge	Field	
Standard Material			I	B	L	R	Sheet Zone	
7/16 4x9 OSB			0-06	-	-	6-00	Standard	
					Fastener	Spacing	Spacing	Gap
					8d (0.131"x2.5") nails	6-00	1-00-00	6-00




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	11-06-00	0-00
B	Top Plate	2x6 SP No.2	(1)	11-06-00	0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x6 SP No.2	(2)	7-11-06	0-00
E	Header	2x10 SP No.2	(3)	3-03-00	0-00
F	Window Sill	2x6 SP No.2	(1)	3-00-00	0-00
G	Sill Cripple	2x6 SP No.2	(5)	3-05-00	0-00
H	Stud	2x6 SPF No.2	(9)	8-08-10	0-00
I	Critical Stud	2x6 SPF No.2	(1)	8-08-10	0-00
J	Sheathing	7/16 4x9 OSB	(3)	9-00-00	4-00-00
K	Filler Cripple	2x6 SP No.2	(5)	1-03-06	0-00
L	Filler Bottom Nailer	2x6 SP No.2	(1)	3-00-00	0-00

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	219	617.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Gap</u>
								6-00	1-00-00 6-00




Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00 0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00 0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10 0-00
D	Jack Stud	2x6 SP No.2	(4)	7-11-06 0-00
E	Header	2x10 SP No.2	(3)	4-06-00 0-00
F	Window Sill	2x6 SP No.2	(1)	4-00-00 0-00
G	Sill Cripple	2x6 SP No.2	(6)	3-05-00 0-00
H	Stud	2x6 SPF No.2	(9)	8-08-10 0-00
I	Critical Stud	2x6 SPF No.2	(1)	8-08-10 0-00
J	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00
K	Filler Cripple	2x6 SP No.2	(6)	1-03-06 0-00
L	Filler Bottom Nailer	2x6 SP No.2	(1)	4-00-00 0-00

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	183	548.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Gap</u>
								6-00	1-00-00 6-00



Cutting List				
Lbl	Member	Description	Qty	Length Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00 0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00 0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10 0-00
D	Jack Stud	2x6 SP No.2	(2)	7-11-06 0-00
E	Header	2x10 SP No.2	(3)	4-03-00 0-00
F	Window Sill	2x6 SP No.2	(1)	4-00-00 0-00
G	Sill Cripple	2x6 SP No.2	(5)	4-11-00 0-00
H	Stud	2x6 SPF No.2	(6)	8-08-10 0-00
I	Rung	2x6 SP No.2	(4)	1-01-12 0-00
J	Critical Stud	2x6 SPF No.2	(1)	8-08-10 0-00
K	Sheathing	7/16 4x9 OSB	(3)	9-00-00 4-00-00
L	Filler Cripple	2x6 SP No.2	(5)	1-03-06 0-00
M	Filler Bottom Nailer	2x6 SP No.2	(1)	4-00-00 0-00


Stud Spacing	BF	Weight	Production Notes:						
1-04-00	126	378.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
Sheathing			Hold/Extend		Sheathing Fasteners	Edge	Field		
Standard Material			I	B	L	R	Sheet Zone	Fastener	
7/16 4x9 OSB			0-06	-	-	-0-08	Standard	8d (0.131"x2.5") nails	
								Spacing	Gap
								6-00	1-00-00 6-00



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	10-06-00	0-00
B	Top Plate	2x6 SP No.2	(1)	10-06-00	0-00
C	Stud	2x6 SPF No.2	(10)	8-08-10	0-00
D	Critical Stud	2x6 SPF No.2	(2)	8-08-10	0-00
E	Sheathing	7/16 4x9 OSB	(2)	9-00-00	4-00-00
F	Sheathing	7/16 4x9 OSB	(1)	9-00-00	2-05-08


Stud Spacing	BF	Weight	Production Notes:				
1-04-00	174	479.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.				
Sheathing			Hold/Extend	Sheathing Fasteners	Edge	Field	
Standard Material			I	Fastener	Spacing	Spacing	Gap
7/16 4x9 OSB			0-06	8d (0.131"x2.5") nails	6-00	1-00-00	6-00

Square: 13-01-08




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	9-07-00	0-00
B	Top Plate	2x6 SP No.2	(1)	9-07-00	0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x6 SP No.2	(4)	7-11-06	0-00
E	Header	2x10 SP No.2	(3)	3-08-08	0-00
F	Stud	2x6 SPF No.2	(8)	8-08-10	0-00
G	Rung	2x6 SP No.2	(4)	4-12	0-00
H	Critical Stud	2x6 SPF No.2	(1)	8-08-10	0-00
I	Sheathing	7/16 4x9 OSB	(2)	9-00-00	4-00-00
J	Sheathing	7/16 4x9 OSB	(1)	9-00-00	1-01-08
K	Filler Cripple	2x6 SP No.2	(4)	1-00-14	0-00
L	Filler Bottom Nailer	2x6 SP No.2	(1)	3-02-08	0-00



<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	113	332.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	6-00	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Gap</u>
								6-00	1-00-00 6-00



Square: 12-03-10



Cutting List


Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	8-05-00	0-00
B	Top Plate	2x6 SP No.2	(1)	8-05-00	0-00
C	Stud	2x6 SPF No.2	(6)	8-08-10	0-00
D	Critical Stud	2x6 SPF No.2	(5)	8-08-10	0-00
E	Sheathing	7/16 4x9 OSB	(2)	9-00-00	4-00-00
F	Sheathing	7/16 4x9 OSB	(1)	9-00-00	11-00

Cutting List			Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	6'-04'-00	0'-00
B	Top Plate	2x6 SP No.2	(1)	6'-04'-00	0'-00
C	King Stud	2x6 SPF No.2	(2)	8'-08'-10	0'-00
D	Jack Stud	2x6 SP No.2	(2)	7'-11'-06	0'-00
E	Header	2x10 SP No.2	(3)	3'-05'-08	0'-00
F	Stud	2x6 SPF No.2	(11)	8'-08'-10	0'-00
G	Sheathing	7/16 4x9 OSB	(1)	9'-00'-00	4'-00'-00
H	Sheathing	7/16 4x9 OSB	(1)	9'-00'-00	1'-05'-00
I	Filler Cripple	2x6 SP No.2	(4)	1'-00'-14	0'-00
J	Filler Bottom Nailer	2x6 SP No.2	(1)	3'-02'-08	0'-00




<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>							
1-04-00	30	86.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.							
<u>Sheathing</u>			<u>Hold/Extend</u>	<u>Sheathing Fasteners</u>				<u>Edge</u>	<u>Field</u>	
<u>Standard Material</u>		<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>	<u>Gap</u>
7/16 4x9 OSB		0-06	-	6-00	-0-08	Standard	8d (0.131"x2.5") nails	6-00	1-00-00	6-00

Square: 9-01-12




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	1-09-08	0-00
B	Top Plate	2x6 SP No.2	(1)	1-09-08	0-00
C	Stud	2x6 SPF No.2	(3)	8-08-10	0-00
D	Sheathing	7/16 4x9 OSB	(1)	9-00-00	2-03-00



<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	108	308.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Spacing</u>
								6-00	1-00-00
									<u>Gap</u>
									6-00

Square: 11-10-04




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	7-09-00	0-00
B	Top Plate	2x6 SP No.2	(1)	7-09-00	0-00
C	Stud	2x6 SPF No.2	(9)	8-08-10	0-00
D	Rung	2x6 SP No.2	(4)	1-02-08	0-00
E	Critical Stud	2x6 SPF No.2	(1)	8-08-10	0-00
F	Sheathing	7/16 4x9 OSB	(1)	9-00-00	4-00-00
G	Sheathing	7/16 4x9 OSB	(1)	9-00-00	3-09-00


<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	95	229.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>	<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>			<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>	<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>	<u>Gap</u>
7/16 4x9 OSB	0-06	-	-5-08	6-00	Standard	8d (0.131"x2.5") nails	6-00	1-00-00	6-00

Square: 9-09-13



Cutting List


Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	4-00-00	0-00
B	Top Plate	2x6 SP No.2	(1)	4-00-00	0-00
C	Stud	2x6 SPF No.2	(7)	8-08-10	0-00
D	Critical Stud	2x6 SPF No.2	(3)	8-08-10	0-00
E	Sheathing	7/16 4x9 OSB	(1)	9-00-00	2-08-00
F	Sheathing	7/16 4x9 OSB	(1)	9-00-00	1-04-08



E3

Square: 9-01-02

8-11-10




2-00-00 SHEATHING
1-06-00 O/A FRAMING



E10

E11


<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	48	149.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>	<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>	<u>Gap</u>
7/16 4x9 OSB	-	-	-	-	Standard	8d (0.131"x2.5") nails	6-00	1-00-00	6-00



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	2-03-08	0-00
B	Top Plate	2x6 SP No.2	(1)	2-04-12	0-00
L Miter: - R Miter: - L Bevel: /14.04 - R Bevel: /14.04					
C	Stud	2x6 SP No.2	(1)	10-01-11	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: \14.04					
D	Stud	2x6 SP No.2	(1)	10-05-08	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: \14.04					
E	Stud	2x6 SP No.2	(1)	10-08-03	0-00
L Miter: - R Miter: - L Bevel: - R Bevel: \14.04					
F	Flat Stud	2x6 SP No.2	(1)	10-03-01	0-00
L Miter: - R Miter: \14.04 - L Bevel: - R Bevel:					
G	Sheathing	7/16 4x9 OSB	(1)	9-00-00	2-03-08
H	Sheathing	7/16 4x9 OSB	(1)	1-11-04	2-03-08
I	Block	2x6 SP No.2	(1)	1-01-12	0-00
J	Block	2x6 SP No.2	(1)	9-04	0-00

<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	69	181.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>			<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>	<u>Edge</u>	<u>Field</u>		
<u>Standard Material</u>			<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	
7/16 4x9 OSB			0-06	-	-	-	Standard	8d (0.131"x2.5") nails	
								<u>Spacing</u>	<u>Field</u>
								6-00	1-00-00
									<u>Gap</u>
									6-00

Square: 9-09-07




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	3-11-00	0-00
B	Top Plate	2x6 SP No.2	(1)	3-11-00	0-00
C	Stud	2x6 SPF No.2	(7)	8-08-10	0-00
D	Sheathing	7/16 4x9 OSB	(1)	9-00-00	3-11-00


<u>Stud Spacing</u>	<u>BF</u>	<u>Weight</u>	<u>Production Notes:</u>						
1-04-00	30	86.00 lb	NOTE TO SHOP: SHEATHING APPLIED USING 8D NAILS 6IN PANEL EDGE 12IN FIELD.						
<u>Sheathing</u>	<u>Hold/Extend</u>		<u>Sheathing Fasteners</u>		<u>Edge</u>	<u>Field</u>			
<u>Standard Material</u>	<u>I</u>	<u>B</u>	<u>L</u>	<u>R</u>	<u>Sheet Zone</u>	<u>Fastener</u>	<u>Spacing</u>	<u>Spacing</u>	<u>Gap</u>
7/16 4x9 OSB	0-06	-	-0-08	6-00	Standard	8d (0.131"x2.5") nails	6-00	1-00-00	6-00

Square: 9-01-12




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	1-09-08	0-00
B	Top Plate	2x6 SP No.2	(1)	1-09-08	0-00
C	Stud	2x6 SPF No.2	(3)	8-08-10	0-00
D	Sheathing	7/16 4x9 OSB	(1)	9-00-00	2-03-00




E6

Stud Spacing	BF	Weight	Production Notes:
1-04-00	77	142.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	12-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	12-00-00	0-00
C	Stud	2x4 SPF No.2	(10)	8-08-10	0-00
D	Rung	2x4 SP No.2	(4)	1-02-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	100	189.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	12-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	12-00-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	5-05-00	0-00
F	Header Cripple	2x4 SP No.2	(6)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(8)	8-08-10	0-00
H	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	152	317.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	12-00-00	0-00
B	Top Plate	2x6 SP No.2	(1)	12-00-00	0-00
C	King Stud	2x6 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x6 SP No.2	(4)	7-11-06	0-00
E	Header	2x10 SP No.2	(3)	3-08-08	0-00
F	Stud	2x6 SPF No.2	(6)	8-08-10	0-00
G	Filler Cripple	2x6 SP No.2	(4)	1-00-14	0-00
H	Filler Bottom Nailer	2x6 SP No.2	(1)	3-02-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	105	198.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	12-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	12-00-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	3-05-00	0-00
F	Header Cripple	2x4 SP No.2	(4)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(10)	8-08-10	0-00
H	Rung	2x4 SP No.2	(4)	1-02-00	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	92	177.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	12-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	12-00-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	5-05-00	0-00
F	Header Cripple	2x4 SP No.2	(6)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(7)	8-08-10	0-00
H	Rung	2x4 SP No.2	(4)	1-02-08	0-00
I	Rung	2x4 SP No.2	(4)	1-00	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	114	220.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	11-02-00	0-00
B	Top Plate	2x6 SP No.2	(1)	11-02-00	0-00
C	Stud	2x6 SPF No.2	(9)	8-08-10	0-00
D	Flat Stud	2x6 SPF No.2	(1)	8-08-10	0-00
E	Rung	2x6 SP No.2	(4)	1-02-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	89	168.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	10-10-08	0-00
B	Top Plate	2x4 SP No.2	(1)	10-10-08	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	3-05-00	0-00
F	Header Cripple	2x4 SP No.2	(4)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(8)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	70	129.00 lb	



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	10-08-08	0-00
B	Top Plate	2x4 SP No.2	(1)	10-08-08	0-00
C	Stud	2x4 SPF No.2	(9)	8-08-10	0-00
D	Rung	2x4 SP No.2	(4)	1-02-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	75	152.00 lb	




Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	10-08-00	0-00
B	Top Plate	2x4 SP No.2	(1)	10-08-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(4)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	7-08-00	0-00
F	Header Cripple	2x4 SP No.2	(7)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(3)	8-08-10	0-00

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	5-04-00	0-00
B	Top Plate	2x4 SP No.2	(1)	5-04-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	4-05-00	0-00
F	Header Cripple	2x4 SP No.2	(5)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

Technical drawing of a window frame assembly. The drawing shows a cross-section of the frame with various components labeled A through G. Dimensions are provided in feet and inches (e.g., 8'-11-10", 6'-11-00", 4'-02-00", 5'-04-00", 4'-00", 5'-00-00", 5'-01-00"). The overall width is labeled D-4/0. The overall height is labeled 8'-11-10". The drawing also shows the O/A FRAMING and a detail of the frame assembly at the bottom, labeled 5 and 3.

Stud Spacing	BF	Weight	Production Notes:
1-04-00	27	49.00 lb	

Square: 9-05-05




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-11-08	0-00
B	Top Plate	2x4 SP No.2	(1)	2-11-08	0-00
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	98	192.00 lb	

Square: 12-02-04




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	8-03-00	0-00
B	Top Plate	2x4 SP No.2	(1)	8-03-00	0-00
C	King Stud	2x4 SPF No.2	(4)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(4)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	2-09-00	0-00
F	Header	2x4 SP No.2	(1)	3-05-00	0-00
G	Header Cripple	2x4 SP No.2	(9)	1-09-10	0-00
H	Stud	2x4 SPF No.2	(5)	8-08-10	0-00
I	Rung	2x4 SP No.2	(4)	7-12	0-00


Stud Spacing	BF	Weight	Production Notes:
1-04-00	20	36.00 lb	

Square: 9-02-03




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	1-11-08	0-00
B	Top Plate	2x4 SP No.2	(1)	1-11-08	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00



Stud Spacing	BF	Weight	Production Notes:
1-04-00	53	101.00 lb	

Square: 9-06-08




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	3-03-00	0-00
B	Top Plate	2x4 SP No.2	(1)	3-03-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	2-05-00	0-00
F	Header Cripple	2x4 SP No.2	(3)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	27	49.00 lb	


Square: 9-05-05



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-11-08	0-00
B	Top Plate	2x4 SP No.2	(1)	2-11-08	0-00
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	62	121.00 lb	

Square: 12-00-04




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	8-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	8-00-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	3-05-00	0-00
F	Header Cripple	2x4 SP No.2	(4)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(4)	8-08-10	0-00
H	Rung	2x4 SP No.2	(4)	3-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	51	99.00 lb	


Square: 10-01-13



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	4-09-00	0-00
B	Top Plate	2x4 SP No.2	(1)	4-09-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	2-09-00	0-00
F	Header Cripple	2x4 SP No.2	(4)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(3)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	26	47.00 lb	


Square: 9-03-08



Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-05-01	0-00
B	Top Plate	2x4 SP No.2	(1)	2-05-01	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00
D	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00


Stud Spacing	BF	Weight	Production Notes:
1-04-00	52	100.00 lb	



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	5-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	5-00-00	0-00
C	King Stud	2x4 SPF No.2	(2)	8-08-10	0-00
D	Jack Stud	2x4 SP No.2	(2)	6-09-08	0-00
E	Header	2x4 SP No.2	(1)	2-11-00	0-00
F	Header Cripple	2x4 SP No.2	(4)	1-09-10	0-00
G	Stud	2x4 SPF No.2	(3)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	36	65.00 lb	


Square: 10-03-04



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	5-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	5-00-00	0-00
C	Stud	2x4 SPF No.2	(5)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	29	52.00 lb	

Square: 9-10-04



Cutting List


Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	4-01-00	0-00
B	Top Plate	2x4 SP No.2	(1)	4-01-00	0-00
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

E13



Stud Spacing	BF	Weight	Production Notes:
1-04-00	43	81.00 lb	


Square: 9-09-07



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x6 SP No.2 P	(1)	3-11-00	0-00
B	Top Plate	2x6 SP No.2	(1)	3-11-00	0-00
C	Stud	2x6 SPF No.2	(4)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	27	49.00 lb	


Square: 9-05-08



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	3-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	3-00-00	0-00
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	36	65.00 lb	


Square: 9-05-00



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-10-08	0-00
B	Top Plate	2x4 SP No.2	(1)	2-10-08	0-00
C	Stud	2x4 SPF No.2	(4)	8-08-10	0-00
D	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00
E	Rung	2x4 SP No.2	(4)	1-02-00	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	26	47.00 lb	

Square: 9-03-01




Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-03-08	0-00
B	Top Plate	2x4 SP No.2	(1)	2-03-08	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00
D	Flat Stud	2x4 SPF No.2	(1)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	23	43.00 lb	



Square: 9-02-04



Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	2-00-00	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00
D	Rung	2x4 SP No.2	(4)	1-02-08	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	20	36.00 lb	

Square: 9-02-04




E16

Cutting List					
Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	2-00-00	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	20	36.00 lb	

Square: 9-02-04


8-11-10



2-00-00

O/A FRAMING

E17





Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	2-00-00	0-00
B	Top Plate	2x4 SP No.2	(1)	2-00-00	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00

Stud Spacing	BF	Weight	Production Notes:
1-04-00	20	35.00 lb	

Square: 9-01-09



Cutting List

Lbl	Member	Description	Qty	Length	Width
A	Bottom Plate	2x4 SP No.2 P	(1)	1-08-08	0-00
B	Top Plate	2x4 SP No.2	(1)	1-08-08	0-00
C	Stud	2x4 SPF No.2	(3)	8-08-10	0-00